

PRODUCT-DETAILS

6472 U-500-101

6472 U-500-101 USB power adapter insert, flush-mounted USB charging devices For sale but "Obsolete", replaced by



General Information	
Extended Product Type	6472 U-500-101
Product ID	2CKA006400A0094
EAN	4011395276471
Catalog Description	6472 U-500-101 USB power adapter insert, flush-mounted USB charging devices
Long Description	For supply and support of mobile devices via USB-cable. With two USB type A outputs. To support two devices at the same time. With electronic short-circuit protection. With electronic overload protection.

Technical

Suitable For

2CKA001724A0434 2CKA001724A0913 2CKA001753A2629 2CKA001753A2637 2CKA001710A2496 2CKA001753A7743 2CKA001710A3310 2CKA001710A3336 2CKA001753A0055 2CKA001753A4989 2CKA001753A5465 2CKA001753A0176 2CKA001753A0148 2CKA001710A3613 2CKA001710A3144 2CKA001710A3659 2CKA001710A3162 2CKA001710A3854 2CKA001710A3926 6472 U-500-101

	2CKA001710A3903
	2CKA001710A4084
	2CKA001710A3765
Rated Voltage (U _r)	100230 V
Secondary Voltage	5 V
Auxiliary Voltage AC/DC	100 V AC/DC
	230 V AC/DC
Rated Current (I _n)	3000 A
Rated Frequency (f)	5060 Hz
Power Loss	0.3 W
Product Range	USB charging devices
Load Type	In case one output is used:
Mounting Type	Flush Mounted

Environmental

Ambient Air	Operation 035 °C
Temperature	
Degree of Protection	IP20

Dimensions Product Net Width 7.1 cm Product Net Height 7.1 cm Product Net Depth / Length 4.3 cm Product Net Weight 0.117 kg Built-In Depth (t₂) 32 mm

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.092 m
Package Level 1 Height	0.058 m
Package Level 1 Depth / Length	0.078 m
Package Level 1 Gross Weight	117 g

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85043121
E-Number (Finland)	7004067
Replacement Product ID (NEW)	2CKA006400A0399
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of	2CKA100000E3523
Conformity - CE	

Classifications

6472 U-500-101

ETIM 8	EC001781 - Power supply consumer electronics
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8504 31 21

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Charging\ Devices \rightarrow Cha$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ ABB\ Nordics \rightarrow Design\ Calle\ \rightarrow\ Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic\ 55 \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Alpha \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Balance\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Dynasty \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Nova \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Future \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Impuls \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow Charging\ Device\ Inserts$

