


PRODUCT-DETAILS

IS2-EH3060

IS2-EH3060 Control and Automation Board



General Information

Extended Product Type	IS2-EH3060
Product ID	EH3060
EAN	8015646679659
Catalog Description	IS2-EH3060 Control and Automation Board
Long Description	Compartment cubicle 300x600mm (HxW)

Technical

Standards	See code for structure
Suitable For	IS2 Enclosures for Automation
Suitable for Product Class	Control and Automation Board
Product Type	5B5B30B370
Door Type	Single
Surface Finishing	Orange Peel, RAL 7035
Door Surface Finishing	Opaque
Material	Pickled steel sheet
Remarks	ETIM
RAL Number	RAL 7035 - Light Grey

Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

Dimensions

Product Net Width	498 mm
Product Net Height	253 mm
Product Net Depth / Length	229.4 mm
Product Net Weight	7.999 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.263 m
Package Level 1 Height	0.240 m
Package Level 1 Depth / Length	0.510 m
Package Level 1 Gross Weight	8 kg
Package Level 1 EAN	8015646679659

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85381000
Country of Origin	Italy (IT)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1STC860113
Environmental Information	1STC804013D0209
Instructions and Manuals	1STM604121R0006
RoHS Information	1STC860065

Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
Instructions and Manuals	1STM604121R0006

Classifications

ETIM 7	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000
UNSPSC	39121321
eClass	V11.1 : 27182204
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories
Object Classification Code	U

Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures -
Baying (Horizontal Joining)

