

EU DECLARATION OF CONFORMITY

We: **Schneider Electric Industries SAS**
35 rue Joseph Monier
F – 92506 Rueil Malmaison



Declare under our sole responsibility that the products

Trademark: **Schneider Electric**

Name: Modicon M340 and M580 (ordinary and ruggedized offers)

Type: Industrial Programmable Controller

Models: BMX xxx, BME xxx, may be followed by C, T or H (xxx are letters and numbers)

- C models: for harsh chemical and humid environments
- T models: for extreme climatic environments
- H models: for harsh chemical, humid and extreme climatic environments

(see list of products next pages)

subject to installation, maintenance and use conforming to its(their) intended purpose, to the applicable regulations and standards, to the supplier's instructions and to the accepted rules of the art, are in conformity with the provisions of the following EU directive(s):


2014/35/EU	Low Voltage Directive
2014/30/EU	EMC Directive
2012/19/EU	WEEE Directive

and that standards and/or technical specifications referenced overleaf have been applied.

<p>Harmonized standards</p> <p>EN 61131-2:2007 ; EN 61000-6-4:2007/A1:2011 ; EN 61000-6-2:2005/AC:2005</p>
<p>Other standards and/or technical specification</p> <p>IEC 61131-2:2017 ; IEC 61010-2-201:2017 ; IEC 61000-6-2:2016</p>

Issued at:
 Schneider Electric, F-06516 Carros
 September 29th, 2022

Authorised Signatory (*):
 Name: Samuel MAREAU
 Manager Compliance & Certification
 Digital factory
 Signature:



(*) Name and title of the signatory empowered to bind the manufacturer or his authorized representative

List of products for ordinary offer

Product / Model	Description
Processors	
BMED581020	Control Processor Unit
BMXP341000	Control Processor Unit
BMXP342020	Control Processor Unit
BMXP342000	Control Processor Unit
BMXP3420102	Control Processor Unit
BMXP3420302	Control Processor Unit
BMXP34201TRB	Control Processor Unit
BMXP342010	Control Processor Unit
BMXP342030	Control Processor Unit
BMXP3420102CL	Control Processor Unit, cardless
BMXP3420302CL	Control Processor Unit, cardless
BMEP586040	Control Processor Unit
BMEP585040	Control Processor Unit
BMEP584040	Control Processor Unit
BMEP584020	Control Processor Unit
BMEP583040	Control Processor Unit
BMEP583020	Control Processor Unit
BMEP582040	Control Processor Unit
BMEP582020	Control Processor Unit
BMEP581020	Control Processor Unit
BMEH586040	Control Processor Unit Hot-Standby
BMEH584040	Control Processor Unit Hot-Standby
BMEH582040	Control Processor Unit Hot-Standby
BMEH584040K	Control Processor Unit Hot-Standby, bundle
BMEH582040K	Control Processor Unit Hot-Standby, bundle
Power supplies	
BMXCPS2000	AC Power Supply
BMXCPS3500	AC Power Supply
BMXCPS4002	AC Power Supply
BMXCPS2010	DC Power Supply
BMXCPS3020	DC Power Supply
BMXCPS4022	DC Power Supply
BMXCPS3522	DC Power Supply
BMXXBP0400	Backplane, 4 slots
BMXXBP0600	Backplane, 6 slots
BMXXBP0800	Backplane, 8 slots
BMXXBP1200	Backplane, 12 slots
BMEXBP0400	Backplane, 4 slots
BMEXBP0602	Backplane, 6 slots, dual power supplies
BMEXBP0800	Backplane, 8 slots
BMEXBP1002	Backplane, 10 slots, dual power supplies
BMEXBP1200	Backplane, 12 slots
BMXXBE1000	Backplane extender module
BMXXBE2005	Backplane extender kit
Discrete I/O modules	
BMXDDO1602	16 * 24 Vdc output channels
BMXDDO1612	16 * 24 Vdc output channels
BMXDDO3202	32 * 24 Vdc output channels
BMXDDO3202K	32 * 24 Vdc output channels
BMXDDO6402K	64 * 24 Vdc output channels
BMXDRA0805	8 * relay output channels
BMXDRA0815	8 * relay output channels
BMXDRA1605	16 * relay output channels
BMXDRC0805	8 * relay output channels
BMXDDI1602	16 * 24 Vdc input channels
BMXDDI1603	16 * 48 Vdc input channels

BMXDDI3202K	32 * 24 Vdc input channels
BMXDDI3203	32 * 48 Vdc input channels
BMXDDI3232	32 * 12/24 Vdc input channels
BMXDDI6402K	64 * 24 Vdc input channels
BMXDDM16022	8 * 24 Vdc input channels + 8 * 24 Vdc output channels
BMXDDM16025	16 * 24 Vdc input channels + 8 * relay output channels
BMXDDM3202K	16 * 24 Vdc input channels + 16 * 24 Vdc output channels
BMXDAI0805	8 * 200...240 Vac input channels
BMXDAI1602	16 * 24 Vac/Vdc input channels
BMXDAI1603	16 * 48 Vac input channels
BMXDAI1604	16 * 100...120 Vac input channels
BMXDAI1614	16 * 100...120 Vac input channels
BMXDAI16142	16 * 100...120 Vac input channels
BMXDAI1615	16 * 200...240 Vac input channels
BMXDAI0814	8 * 100...120 Vac input channels
BMXDAO1605	16 * 100...240 Vac output channels
BMXDAO1615	16 * 24...240 Vac output channels
Analog I/O modules	
BMXAMI0410	4 * voltage/current analog input channels
BMXAMI0800	8 * voltage/current analog input channels
BMXAMI0810	8 * voltage/current analog input channels
BMXAMO0210	2 * voltage/current analog output channels
BMXAMO0410	4 * voltage/current analog output channels
BMXAMO0802	8 * current analog output channels
BMXAMM0600	4 * voltage/current analog input + 2 * voltage/current analog output channels
BMXART0414	4* thermocouple input channels
BMXART0814	8* thermocouple input channels
BMEAHI0812	8 * current analog input channels (HART)
BMEAHO0412	4 * current analog output channels (HART)
BMXEHC0200	Counting module, high speed 2Ch
BMXEHC0800	Counting module, high speed 8Ch
BMXMSP0200	PTO Motion module
BMXPRA0100	Peripheral Remote IO Adaptor
BMXEAE0300	SSI encoder interface
Communication modules	
BMXNOE0100	Communication module Ethernet
BMXNOE0110	Communication module Ethernet
BMXNOC0401	Communication module Ethernet
BMXNOC0402	Communication module Ethernet
BMENOC0301	Communication module Ethernet
BMENOC0311	Communication module Ethernet
BMENOC0321	Communication module Ethernet
BMENOS0300	Communication module Ethernet
BMENOP0300	Communication module Ethernet IEC61850
BMXNGD0100	Communication module Ethernet
BMXNOR0200	Communication module Ethernet
BMXEIA0100	Communication module AS-I
BMXNOM0200	Communication module RS485/232
BMXNRP0200	Communication module with optic fiber
BMXNRP0201	Communication module with optic fiber
BMXCRA31200	Communication module remote IO adapter
BMXCRA31210	Communication module remote IO adapter
BMECRA31210	Communication module remote IO adapter
BMECRA31310	Communication module remote IO adapter
BMECXM0100	Communication module CANopen
BMXNUA0100	OPC UA module

List of products for ruggedized offer

Product	Description
Processors	
BMED581020C	Control Processor Unit
BMXP342020H	Control Processor Unit
BMXP341000H	Control Processor Unit
BMXP3420302H	Control Processor Unit
BMEP586040C	Control Processor Unit
BMEP585040C	Control Processor Unit
BMEP582040H	Control Processor Unit
BMEP582020H	Control Processor Unit
BMEP581020H	Control Processor Unit
BMEH586040C	Control Processor Unit Hot-Standby
BMEH584040C	Control Processor Unit Hot-Standby
BMEH582040C	Control Processor Unit Hot-Standby
Power supplies	
BMXCPS3020H	DC Power Supply
BMXCPS3500H	AC Power Supply
BMXCPS4002H	AC Power Supply
BMXCPS3540T	DC Power Supply
BMXCPS4022H	DC Power Supply
BMXCPS3522H	DC Power Supply
Racks	
BMXXBP0400H	Backplane, 4 slots
BMXXBP0600H	Backplane, 6 slots
BMXXBP0800H	Backplane, 8 slots
BMXXBP1200H	Backplane, 12 slots
BMEXBP0400H	Backplane, 4 slots
BMEXBP0602H	Backplane, 6 slots, dual power supplies
BMEXBP0800H	Backplane, 8 slots
BMEXBP1002H	Backplane, 10 slots, dual power supplies
BMEXBP1200H	Backplane, 12 slots
BMXXBE1000H	Backplane extender module
Discrete I/O modules	
BMXDDO1602H	16 * 24 Vdc output channels
BMXDDO1612H	16 * 24 Vdc output channels
BMXDDO3202KC	32 * 24 Vdc output channels
BMXDDO3202H	32 * 24 Vdc output channels
BMXDDO6402KC	64 * 24 Vdc output channels
BMXDRA0805H	8 * relay output channels
BMXDRA0815H	8 * relay output channels
BMXDRA1605H	16 * relay output channels
BMXDRA0804T	8 * relay output channels
BMXDRC0805H	8 * relay output channels
BMXDDI1602H	16 * 24 Vdc input channels
BMXDDI1603H	16 * 48 Vdc input channels
BMXDDI1604T	16 * 125 Vdc input channels
BMXDDI3202KH	32 * 24 Vdc input channels
BMXDDI3203H	32 * 48 Vdc input channels
BMXDDI3232H	32 * 12/24 Vdc input channels
BMXDDI6402KH	64 * 24 Vdc input channels
BMXDDM16022H	8 * 24 Vdc input channels + 8 * 24 Vdc output channels
BMXDDM16025H	16 * 24 Vdc input channels + 8 * relay output channels
BMXDAI1602H	16 * 24 Vac/Vdc input channels
BMXDAI1603H	16 * 48 Vac input channels
BMXDAI1604H	16 * 100...120 Vac input channels
BMXDAI1614H	16 * 100...120 Vac input channels
BMXDAI1615H	16 * 200...240 Vac input channels
BMXDAO1605H	16 * 100...240 Vac output channels
BMXDAO1615H	16 * 24...240 Vac output channels

BMXAMI0410H	4 * voltage/current analog input channels
BMXAMI0810H	8 * voltage/current analog input channels
BMXAMO0210H	2 * voltage/current analog output channels
BMXAMO0410H	4 * voltage/current analog output channels
BMXAMO0802H	8 * current analog output channels
BMXAMM0600H	4 * voltage/current analog input + 2 * voltage/current analog output channels
BMXART0414H	4* thermocouple input channels
BMXART0814H	8* thermocouple input channels
BMEAHI0812H	8 * current analog input channels (HART)
BMEAHO0412C	4 * current analog output channels (HART)
Special modules	
BMXEHC0200H	Counting module, high speed 2 channels
BMXEHC0800H	Counting module, high speed 8 channels
BMXETM0200H	Frequency module, 2 channels
BMXEAE0300H	SSI encoder module
BMXERT1604T	Time stamping input module
BMXERT1604H	Time stamping input module
Communication modules	
BMXNOE0100H	Communication module Ethernet
BMXNOE0110H	Communication module Ethernet
BMXNOM0200H	Communication module RS485/232
BMXNOR0200H	RTU Communication module
BMENOR2200H	RTU Communication module
BMENOC0301C	Communication module Ethernet
BMENOC0311C	Communication module Ethernet
BMENOC0321C	Communication module Ethernet
BMENOS0300C	Communication module Ethernet
BMENOP0300C	Communication module Ethernet IEC61850
BMXNRP0200C	Communication module with optic fiber
BMXNRP0201C	Communication module with optic fiber
BMXCRA31210C	Communication module remote IO adapter
BMECRA31210C	Communication module remote IO adapter
BMECRA31310H	Communication module remote IO adapter
BMECXM0100H	Communication module CANopen
BMXNUA0100H	OPC UA module

Accessories, cables, connectors, taps, memory cards (ABE7CPA..., BMXFCA..., BMXFCC..., BMXFCW..., BMXFTA..., BMXFTB..., BMXFTW..., BMXRMS..., BMXRWS..., BMXXBC..., BMXXCA..., BMXXEM..., BMXXSP..., BMXXTS..., 490NAC...) also tested with related products in a system configuration.

Technical documentation

The manufacturer keeps for the European Union competent authorities the technical documentation in confidential file PHA8883700.