
Product Environmental Profile


WIFI repeater





Ceneral information Representative product WIFI repeater - NU360518 Description of the product WIFI repeater extends connectivity in home network to every indoor and outdoor living space. WIFI repeater extends signal during 10 years, and network availability can be easily controled via a handy on/off switch on each repeater, or by programming the scheduler. Based on EN 62368-1.					
Representative product	WIFI repeater - NU360518				
Description of the product	WIFI repeater extends connectivity in home network to every indoor and outdoor living space.				
Functional unit					

Constituent materials



Substance assessment

Products of this range are designed in conformity with the requirements of the RoHS directive (European Directive 2011/65/EU of 2 January 2013, amended in March 2015, 2015/863/EU and in November 2017, 2017/2102/EU) and do not contain, or only contain in the authorised proportions, lead, mercury, cadmium, hexavalent chromium or flame retardants (polybrominated biphenyls - PBB, polybrominated diphenyl ethers – PBDE), Bis (2-ethylhexyl)phthalate - DEHP, Benzyl butyl phthalate– BBP, Dibutyl phthalate - DBP, Diisobutyl phthalate - DIBP) as mentioned in the Directive.

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website http://www2.schneider-electric.com/sites/corporate/en/products-services/green-premium/green-premium.page

Additional environmental information


	The WIFI repeater presents the following relevent environmental aspects							
Manufacturing	Manufactured at a Schneider Electric production site ISO14001 certified							
Distribution	Weight and volume of the packaging optimized, based on the European Union's packaging directive							
Distribution	Packaging weight is 39.8 g, consisting of cardboard (86.4%), paper (10.6%), PET(3.0%)							
Installation	Ref NU360518 does not require any installation operations.							
Use	The product does not require special maintenance operations.							
	End of life optimized to decrease the amount of waste and allow recovery of the product components and materials							
	This product contains electronic card (17g) that should be separated from the stream of waste so as to optimize end-of- life treatment.							
End of life	The location of these components and other recommendations are given in the End of Life Instruction document which is available on the Schneider-Electric Green Premium website							
	http://www2.schneider-electric.com/sites/corporate/en/products-services/green-premium/green-premium.page							
	Recyclability potential: 44% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).							

D Environmental impacts

Reference life time	10 years							
Product category	Other equipments - Active product							
Use scenario	The product is in active mode 10% of the time with a power use of 2.3W and in stand-by mode 90% of the time with a power use of 2.1W, for 10 years							
Geographical representativeness	Europe							
Technological representativeness	All the technologies pertaining to product manufacturing are represented in manufacturing phase properly							
	Manufacturing	Installation	Use	End of life				
Energy model used	Energy model used: China	Electricity Mix; AC; consumption mix, at consumer; < 1kV; EU-27	Electricity Mix; AC; consumption mix, at consumer; < 1kV; EU-27	Electricity Mix; AC; consumption mix, at consumer; < 1kV; EU- 27				

Compulsory indicators		WIFI repeate	er - NU360518				
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Contribution to mineral resources depletion	kg Sb eq	2.18E-04	2.13E-04	0*	0*	4.99E-06	0*
Contribution to the soil and water acidification	$kg SO_2 eq$	8.32E-01	2.88E-03	0*	0*	8.29E-01	0*
Contribution to water eutrophication	kg PO4 ³⁻ eq	3.16E-02	5.39E-04	1.33E-05	0*	3.11E-02	1.11E-05
Contribution to global warming	kg CO ₂ eq	1.11E+02	1.35E+00	1.27E-02	0*	1.10E+02	3.27E-02
Contribution to ozone layer depletion	kg CFC11 eq	2.69E-05	2.73E-07	0*	0*	2.66E-05	0*
Contribution to photochemical oxidation	$kg C_2H_4 eq$	3.95E-02	2.89E-04	4.13E-06	0*	3.92E-02	0*
Resources use	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Net use of freshwater	m3	2.93E-01	6.66E-03	0*	0*	2.86E-01	0*
Total Primary Energy	MJ	2.24E+03	1.70E+01	0*	0*	2.22E+03	0*

.



Manufacturing Distribution Installation Use End of life

Optional indicators		WIFI repeate	r - NU360518				
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Contribution to fossil resources depletion	MJ	1.14E+03	1.15E+01	1.78E-01	0*	1.13E+03	0*
Contribution to air pollution	m³	4.84E+03	1.41E+02	5.40E-01	0*	4.70E+03	8.03E-01
Contribution to water pollution	m³	4.86E+03	2.56E+02	2.09E+00	0*	4.60E+03	1.53E+00
Resources use	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Use of secondary material	kg	2.25E-03	2.25E-03	0*	0*	0*	0*
Total use of renewable primary energy resources	MJ	1.60E+02	1.17E+00	0*	0*	1.59E+02	0*
Total use of non-renewable primary energy resources	MJ	2.08E+03	1.58E+01	0*	0*	2.06E+03	0*
Use of renewable primary energy excluding renewable primary energy used as raw material	MJ	1.59E+02	4.12E-01	0*	0*	1.59E+02	0*
Use of renewable primary energy resources used as raw material	MJ	7.55E-01	7.55E-01	0*	0*	0*	0*
Use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.08E+03	1.46E+01	0*	0*	2.06E+03	0*
Use of non renewable primary energy resources used as raw material	MJ	1.19E+00	1.19E+00	0*	0*	0*	0*
Use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*
Use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*
Waste categories	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Hazardous waste disposed	kg	7.85E-01	6.77E-01	0*	0*	0*	1.09E-01
Non hazardous waste disposed	kg	4.10E+02	3.47E-01	0*	0*	4.10E+02	0*
Radioactive waste disposed	kg	3.35E-01	2.20E-04	0*	0*	3.34E-01	0*
Other environmental information	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Materials for recycling	kg	7.25E-02	8.13E-03	0*	3.88E-02	0*	2.57E-02
Components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*
Materials for energy recovery	kg	8.43E-03	0*	0*	0*	0*	8.43E-03
Exported Energy	MJ	1.22E-04	1.15E-05	0*	1.11E-04	0*	0*

 * represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version EIME v5.8.1, database version 2016-11 in compliance with ISO14044.

The use phase is the life cycle phase which has the greatest impact on the majority of environmental indicators (based on compulsory indicators).

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

ENVPEP1911012_V1 - Product Environmental Profile - WIFI repeater

Registration number	ENVPEP19110 ²	12_V1	Drafting rules	PCR-ed3-EN-2015 04 02	
Date of issue	3/2020		Supplemented by	PSR-0005-ed2-EN-2016 03	29
Validity period	riod 5 years		Information and reference documents	www.pep-ecopassport.org	
Independent verifica	tion of the declaration and	data			
Internal	X External				
The elements of the	present PEP cannot be co	mpared with element	s from another program.		
Document in complia environmental labelli		« Environmental labe	ls and declarations - Self-declared	l environmental claims (Type II	1
Schneider Electric Indu	stries SAS				
Country Customer Care http://www.schneider-e					
35, rue Joseph Monier					
CS 30323					
F- 92506 Rueil Malmais	son Cedex				
RCS Nanterre 954 503 Capital social 896 313					
www.schneider-electric	.com_	Published by Sc	hneider Electric		
					2/2

ENVPEP1911012_V1

© 2019 - Schneider Electric - All rights reserved

3/2020