

Opis produktu

# AN25.20

## AN25.20 Reducer



---

### Ogólne informacje

Typ produktu	AN25.20
Kod zamówieniowy	2TKA00003601
Numer EAN	6438199005119
Opis katalogowy	AN25.20 Reducer
Opis	Enables easy inlet reduction from Ø 25 mm to Ø 20 mm when a Ø 20 conduit needs to be connected into a Ø 25 inlet (AJ25). Made of halogen free material (IEC/61249-2-21).

---

### Material Compliance

Dane RoHS	9AKK106713A4634
Status RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Data RoHS	20240314
Deklaracja REACH	9AKK106713A4633
REACH Information	False - does not contains substances > 0.1 mass percentage
Szablon raportowania CMRT	9AKK108468A3363

---

## Wymiary

Szerokość netto	0.029 m
Wysokość netto	0.031 m
Głębokość / długość netto	0.029 m
Masa netto	0.003 kg

---



---

## Charakterystyka zamówienia

Jednostkowe opakowanie	bag 100 sztuka
Waga opakowania brutto (poziom 1)	0.31 kg
E-Numer (Finlandia)	1152502
E-Numer (Szwecja)	1420154

---



---

## Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności UE	9AKK10103A2338
-------------------------	----------------

---



---

## Installation

Instrukcje i podręczniki	No document needed
--------------------------	--------------------

---



---

## Najczęściej Pobierane

Arkusze danych, informacja techniczna	No document needed
--	--------------------

---



---

## Klasyfikacje

ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
ETIM 9	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
Kategoria WEEE	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business
CN8	39174000

---

---

## Kategorie

---

Produkty niskiego napięcia i systemy → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Inlets

