

PRODUCT-DETAILS

JSD-TD25P-820200

JSD-TD25P-820200 Safety Control Devices



General Information

Extended Product Type	JSD-TD25P-820200
Product ID	2TLA930041R0000
EAN	4013614501180
Catalog Description	JSD-TD25P-820200 Safety Control Devices

Long Description

The JSD-TD25P-820200 is a mobile two-hand-device with two Safeball, right Safeball turnable and illuminated Reset Pushbutton. The connection is realized via a M23 12Pol connector.

Mobile control units of the TYPE JSD-TD25P- are available in different configurations and are used in machines and systems for the control of dangerous processes in areas where no other protective measures are effective at the time of operation (e.g. presses, etc.). Depending on the risk assessment and the equipment of the operating unit, use as an enabling device or as a two-hand operating unit is permissible in accordance with the standard.

Operating buttons have been integrated into the laterally mounted Safeball in such a way that they support ergonomics and manipulation safety during handling.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Product Main Type	JSTD25
Product Name	Safety Control Devices
Special Functions	turnable safeball; Illuminated Reset Pushbutton

Popular Downloads

CAD Dimensional Drawing	2CDC001079B0201
-------------------------	-----------------

Dimensions

Product Net Depth / Length	315 mm
Product Net Height	150 mm
Product Net Width	70 mm
Product Net Weight	0.93 kg

Safety Information

Safety Category	4
Performance Level (PL)	Up to e
Safety Integrity Level (SIL)	3
B10d Value	Operations 20 million

Technical

Rated Operational Voltage	10 ... 30 V DC
---------------------------	----------------

Environmental

Ambient Air Temperature	Operation -25 ... +50 °C
Degree of Protection	IP40

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	292 mm
Package Level 1 Depth / Length	394 mm
Package Level 1 Height	123 mm
Package Level 1 Gross Weight	1.38 kg
Package Level 1 EAN	4013614501180

Classifications

eClass	V11.0 : 27371219
--------	------------------

<u>ETIM 7</u>	<u>EC001260 - Two-hand control device</u>
<u>ETIM 8</u>	<u>EC001260 - Two-hand control device</u>
<u>ETIM 9</u>	<u>EC001260 - Two-hand control device</u>

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSTD25

