
PRODUCT-DETAILS

JSD-TD25P-020300

JSD-TD25P-020300 Safety Control Devices



General Information

Extended Product Type	JSD-TD25P-020300
Product ID	2TLA930013R0000
EAN	4013614501739
Catalog Description	JSD-TD25P-020300 Safety Control Devices
Long Description	JSD-TD25P-020300 mobile 2-hand device 2x Safeball, spiral cable 0,6/2,4m IP55

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Product Main Type	JSTD25
Product Name	Safety Control Devices

Popular Downloads

CAD Dimensional Drawing	2CDC001079B0201
-------------------------	-----------------

Dimensions

Product Net Depth / Length	315 mm
Product Net Height	150 mm
Product Net Width	70 mm
Product Net Weight	1.51 kg

Safety Information

Safety Category	4
Performance Level (PL)	Up to e
Safety Integrity Level (SIL)	3
B10d Value	Operations 20 million

Technical

Connection Configuration	Spiral Cable
Rated Operational Voltage	10 ... 30 V DC

Environmental

Ambient Air Temperature	Operation -25 ... +50 °C
Degree of Protection	IP55

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	292 mm
Package Level 1 Depth / Length	394 mm
Package Level 1 Height	123 mm
Package Level 1 Gross Weight	1.96 kg
Package Level 1 EAN	4013614501739

Classifications

eClass	V11.0 : 27371219
ETIM 7	EC001260 - Two-hand control device
ETIM 8	EC001260 - Two-hand control device

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSTD25

