

PRODUCT-DETAILS

# JSD-HD4-350801

## JSD-HD4-350801 Safety Control Devices



### General Information

Extended Product Type	JSD-HD4-350801
Product ID	2TLA920086R0000
EAN	4013614500787
Catalog Description	JSD-HD4-350801 Safety Control Devices
Long Description	<p>The JSD-HD4-350801 is a three-position enabling device without LEDs and two additional buttons, on top and front. The connection is realized via a Cannon 12pol. male connector.</p> <p>Please be aware that the internal wiring isn't equivalent to the standard devices. To ensure the right function, please check the data sheet before ordering.</p> <p>Three-position enabling devices are used to allow limited movement of the machine when the operator is in the hazardous area, for example during commissioning, maintenance and troubleshooting.</p>

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365019
Product Main Type	JSHD
Product Name	Safety Control Devices
Function	Three-position device used to allow a limited movement of the machine when the operator is in the dangerous area.
Sub-Function	1 front and 1 top auxiliary buttons

Status Indicator	No
------------------	----

## Popular Downloads

CAD Dimensional Drawing	2CDC001079B0201
-------------------------	-----------------

## Dimensions

Product Net Depth / Length	34 mm
Product Net Height	202 mm
Product Net Width	58 mm
Product Net Weight	0.26 kg

## Safety Information

Performance Level (PL)	Up to e
B10d Value	Operations to Bottom Position 968 000 Operations to Middle Position 2 million

## Technical

Communication Interface	Contacts
Connection Configuration	Cannon Connector
Maximum Switching Current	Main Circuit 20 mA
Maximum Switching Voltage	Main Circuit 30 V
Number of Contacts NO	4
Rated Operational Current DC-12 ( $I_e$ )	(24 V) 0.02 A
Rated Operational Voltage	24 V DC

## Environmental

Ambient Air Temperature	Operation -10 ... +50 °C
Degree of Protection	IP65
Material	Rubber: NBR Handle: Polyamid and Nory

## Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

**Container Information**

---

Package Level 1 Units	carton 1 piece
Package Level 1 Width	99 mm
Package Level 1 Depth / Length	255 mm
Package Level 1 Height	200 mm
Package Level 1 Gross Weight	0.46 kg
Package Level 1 EAN	4013614500787

---

---

**Classifications**

---

eClass	V11.0 : 27371238
ETIM 7	EC002571 - Agreement switch
ETIM 8	EC002571 - Agreement switch
ETIM 9	EC002571 - Agreement switch

---

---

**Categories**

---

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSHD

