

Opis produktu

JSB/S 1.1

JSB/S1.1 Shutter Control Unit, MDRC



Ogólne informacje

Typ produktu	JSB/S 1.1
Kod zamówieniowy	GHQ6310084R0111
Numer EAN	4016779579933
Opis katalogowy	JSB/S1.1 Shutter Control Unit, MDRC
Opis	Controls shutter and blind actuators according to the position of the sun. The shutter control unit contains the functions of anti-glare protection and daylight redirection for up to 4 facades. Automatic shading can be implemented for every building and climatic control can be supported by the comprehensive range of parameter settings in the ETS.

Installation

Instrukcje i podręczniki	GHQ6307086P0003
Instrukcja instalacji i uruchomienia	2CDC506017D0202
Typ montażu	DIN-Rail

Dane techniczne

Arkusz danych, informacja techniczna	2CDC506032D0201
Ilość diod LED	1

Kompatybilne systemy magistralowe	KNX (TP)
Grupa produktowa	KNX
Ręczna obsługa	Nie
Liczba baterii	0

Electrical

Rodzaj prądu	DC
Straty mocy	0.3 W

Design

Kolor	light grey
-------	------------

Material Compliance

Dane RoHS	2CDK506010D2701
Status RoHS	Following EU Directive 2011/65/EU
Deklaracja REACH	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Szablon raportowania CMRT	9AKK108468A3363

Normy środowiskowe

Stopień ochrony	IP20
-----------------	------

Wymiary

Szerokość w liczbie modułów	2
Szerokość netto	36 mm
Wysokość netto	90 mm
Głębokość / długość netto	64.5 mm
Masa netto	0.091 kg
Głębokość zabudowy (t ₂)	64.5 mm
Schemat wymiarów	2CDC072025F0017

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności UE	2CDK506010D2701
Certyfikat KNX	9AKK105710A0061

Klasyfikacje

ETIM 9	EC001330 - Shutting actuator for bus system
eClass	V11.0 : 27143128

UNSPSC	39121801
Kod klasyfikacji	A
Kategoria WEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CDG110028R0011	JJA/S4.SMI.1M SMI Shutter Actuator, 4-fold, Manual Operation, MDRC	JJA/S4.SMI.1M	1	sztuka
2CDG110120R0011	JJA/S2.230.2.1 Blind/Roller Shutter Act, 2-f, 230 V AC, Manual Operation, MDRC	JJA/S 2.230.2.1	1	sztuka
2CDG110121R0011	JJA/S4.230.2.1 Blind/Roller Shutter Act 4-f, 230 V AC, Manual Operation, MDRC	JJA/S4.230.2.1	1	sztuka
2CDG110122R0011	JJA/S8.230.2.1 Blind/Roller Shutter Act, 8-f, 230 V AC, Manual Operation, MDRC	JJA/S8.230.2.1	1	sztuka
2CDG110124R0011	JJA/S2.230.5.1 Blind/Roller Shutter Act, Travel Det, 2-f, 230 V AC, Man Op, MDRC	JJA/S 2.230.5.1	1	sztuka
2CDG110125R0011	JJA/S4.230.5.1 Blind/Roller Shutter Act, Travel Det, 4-f, 230 V AC, Man Op, MDRC	JJA/S 4.230.5.1	1	sztuka
2CDG110126R0011	JJA/S8.230.5.1 Blind/Roller Shutter Act, Travel Det, 8-f, 230 V AC, Man Op, MDRC	JJA/S 8.230.5.1	1	sztuka
2CDG110128R0011	JJA/S4.24.5.1 Blind/Roller Shutter Act, Travel Det, 4-f, 24 V DC, Man Op, MDRC	JJA/S 4.24.5.1	1	sztuka
2CDG110129R0011	JJA/S2.230.1.1 Blind/Roller Shutter Actuator, 2-fold, 230 V AC, MDRC	JJA/S 2.230.1.1	1	sztuka
2CDG110130R0011	JJA/S4.230.1.1 Blind/Roller Shutter Actuator, 4-fold, 230 V AC, MDRC	JJA/S 4.230.1.1	1	sztuka
2CDG110131R0011	JJA/S8.230.1.1 Blind/Roller Shutter Actuator, 8-fold, 230 V AC, MDRC	JJA/S 8.230.1.1	1	sztuka
2CDG110143R0011	SJR/S4.24.2.1 SMI Blind/Roller Shutter Actuator, LoVo, 4-fold, MDRC	SJR/S 4.24.2.1	1	sztuka
2CDG110208R0011	JJA/S6.230.3.1 Blind/Roller Shutter Actuator with Binary Inputs, 6-f, MDRC	JJA/S6.230.3.1	1	sztuka

Kategorie

Produkty niskiego napięcia i systemy → Building and Home Automation Solutions → KNX → Shading Control → Shading Control Units

