

SILENA 2

WQJP09989

LED luminaire SILENA 2, with a power of 19 W, high light efficacy 120 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 50° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



Power	19 W
Colour temperature	3000 K
Beam angle	50 °

Voltage	230 V
Colour of light	WW
Degree of protection (IP)	IP20

Technical data

Code	WQJP09989
Power	19 W
Nominal current	90 mA
Voltage	230 V
Energy consumption	19 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Manufacturer of power supply	TCI
Power factor	0.93
Useful luminous flux*	2280 lm (360°)
Luminous flux**	1520 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	50 °
RA	90
Light source included	+
Producer of LED diodes	CREE
Uniformity of color SDCM max	3
Dimmable	OPC
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	Aluminum
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	187x150 mm
Mounting hole	Ø175 mm
For use	Inside
Assembly method	Recessed
Application	Inside
Made in	PL
Catalogue number	SAL10PR01993050W

Related documents



 User manual



 Declaration of Conformity

