

# WOJP11660

WOJP11660

LED luminaire SILENA 2, with a power of 27 W, high light efficacy 130 lm/W. It is made of high-quality components, supported by a 5-year warranty. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 36° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



Power **27 W**  
Colour temperature **3000 K**  
Beam angle **36 °**

Voltage **230 V**  
Colour of light **WW**  
Degree of protection (IP) **IP20**

## Technical data

---

|                              |                       |
|------------------------------|-----------------------|
| Code                         | WQJP11660             |
| Power                        | 27 W                  |
| Nominal current              | 129 mA                |
| Voltage                      | 230 V                 |
| Energy consumption           | 27 kWh/1000h          |
| Frequency                    | 50HZ Hz               |
| Protection class             | II                    |
| Power supply included        | +                     |
| Manufacturer of power supply | SPECTRUM              |
| Power factor                 | 0.93                  |
| Useful luminous flux*        | 3105 lm (360°)        |
| Luminous flux**              | 2160 lm (360°)        |
| Lamp efficacy                | 130 lm/W              |
| Colour temperature           | 3000 K                |
| Colour of light              | WW                    |
| Beam angle                   | 36 °                  |
| RA                           | 80                    |
| Light source included        | +                     |
| Producer of LED diodes       | CREE                  |
| Uniformity of color SDCM max | 3                     |
| Dimmable                     | MESH                  |
| Working temperature range    | -20/+40 °             |
| Lifespan                     | 50000 h               |
| Housing material             | Aluminum              |
| Degree of protection (IP)    | IP20                  |
| Colour                       | Black                 |
| Dimension (AxBxC)            | 187x150 mm            |
| Mounting hole                | Ø175 mm               |
| For use                      | Inside                |
| Assembly method              | Recessed              |
| Application                  | Inside                |
| Made in                      | PL                    |
| Catalogue number             | SAL10PR02783036B_MESH |

## Related documents

---



 User manual

