

# SILENA 2

WQJP09760

LED luminaire SILENA 2, with a power of 27 W, high light efficacy 130 lm/W. It is made of high-quality components, supported by a 5-year warranty. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 50° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



|                           |                       |                    |               |
|---------------------------|-----------------------|--------------------|---------------|
| Power                     | <b>27 W</b>           | Voltage            | <b>230 V</b>  |
| Luminous flux*            | <b>3510 lm (360°)</b> | Colour temperature | <b>3000 K</b> |
| Colour of light           | <b>WW</b>             | Beam angle         | <b>50 °</b>   |
| Degree of protection (IP) | <b>IP20</b>           |                    |               |

## Technical data

---

|                              |                     |
|------------------------------|---------------------|
| Code                         | WQJP09760           |
| Power                        | 27 W                |
| Nominal current              | 129 mA              |
| Voltage                      | 230 V               |
| Energy consumption           | 27 kWh/1000h        |
| Frequency                    | 50HZ Hz             |
| Protection class             | II                  |
| Power supply included        | +                   |
| Manufacturer of power supply | TCI                 |
| Power factor                 | 0.93                |
| Useful luminous flux*        | 3510 lm (360°)      |
| Luminous flux**              | 2430 lm (360°)      |
| Lamp efficacy                | 130 lm/W            |
| Colour temperature           | 3000 K              |
| Colour of light              | WW                  |
| Beam angle                   | 50 °                |
| RA                           | 80                  |
| Light source included        | +                   |
| Producer of LED diodes       | CREE                |
| Uniformity of color SDCM max | 3                   |
| Dimmable                     | OPC                 |
| Working temperature range    | -20/+40 °           |
| Lifespan                     | 50000 h             |
| Housing material             | Aluminum            |
| Degree of protection (IP)    | IP20                |
| Colour                       | Black               |
| Dimension (AxBxC)            | 187x150 mm          |
| Mounting hole                | Ø175 mm             |
| For use                      | Inside              |
| Assembly method              | Recessed            |
| Application                  | Inside              |
| Made in                      | PL                  |
| Catalogue number             | SAL10PR02783050B_AW |

## Related documents

---



 User manual

