

SILENA 2

WQJP09907

LED luminaire SILENA 2, with a power of 35 W, high light efficacy 110 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 50° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



Power **35 W**
Colour temperature **3000 K**
Beam angle **50 °**

Voltage **230 V**
Colour of light **WW**
Degree of protection (IP) **IP20**

Technical data

Code	WQJP09907
Power	35 W
Nominal current	167 mA
Voltage	230 V
Energy consumption	35 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Manufacturer of power supply	TRIDNIC
Power factor	0.93
Useful luminous flux*	3850 lm (360°)
Luminous flux**	2800 lm (360°)
Lamp efficacy	110 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	50 °
RA	90
Light source included	+
Producer of LED diodes	CREE
Uniformity of color SDCM max	3
Dimmable	OPC
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	Aluminum
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	187x150 mm
Mounting hole	Ø175 mm
For use	Inside
Assembly method	Recessed
Application	Inside
Made in	PL
Catalogue number	SAL10PR03593050B

Related documents



 User manual



 Declaration of Conformity

