

SHIFT NANO STRIPE L

WLD+80010

SYSTEM SHIFT NANO - STRIPE L TO TRACK 1026X6X10MM 12W WHITE 5Y WARRANTY



Power **12 W**
Colour temperature **3000 K**
Beam angle **120 °**

Voltage **48 V**
Colour of light **WW**
Degree of protection (IP) **IP20**

Technical data

Code	WLD+80010
Power	12 W
Nominal current	180 mA
Voltage	48 V
Energy consumption	12 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	1180 lm (360°)
Luminous flux**	250 lm (360°)
Lamp efficacy	98 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	SILIKON
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	1026x6x10 mm
For use	Inside
Assembly method	on track 48V
Application	Inside
Made in	PRC

Logistics data

Bulk packaging	100 pcs.
Gross weight (1 pcs.)	0.0908 kg

Related documents

 User manual Declaration of Conformity

