

SHIFT NANO GLOBE P

WLD+80008

SYSTEM SHIFT NANO - GLOBE P SHPERE TRACKLIGHT PENDANT 100+1000MM CABLE 7W WHITE 5Y WARRANTY



Power **7 W**

Colour temperature **3000 K**

Beam angle **165 °**

Voltage **48 V**

Colour of light **WW**

Degree of protection (IP) **IP20**

Technical data

Code	WLD+80008
Power	7 W
Nominal current	140 mA
Voltage	48 V
Energy consumption	7 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	615 lm (360°)
Luminous flux**	500 lm (360°)
Lamp efficacy	88 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	165 °
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+GLASS
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	100+1000mm wire mm
For use	Inside
Assembly method	on track 48V
Application	Inside
Made in	PRC

Logistics data

Bulk packaging	50 pcs.
Gross weight (1 pcs.)	0.2715 kg

Related documents

 User manual Declaration of Conformity

