


Niloé™ IP44 plate Cat. No(s): NP116WH




1. USE

Frame plate white color supplied with translucent cover for fitting on Niloé mechanisms.

2. RANGE

Description	White
IP44 plate	NP116WH

3. DIMENSIONS (mm)



4. MOUNTING

The plates snap onto the socket adapter or the switch cover. In case of the sockets, the socket cover clamp the frame.

5. TECHNICAL CHARACTERISTICS

■ 5.1 Mechanical characteristics 180° opening capacity of the cover Impact tests: IK 04 Penetration against solid bodies and liquids: IP 44

■ 5.2 Material characteristics
Plates: ABS
Shutter for plate: PC
UV resistant
Halogen free
Sealing material: SEBS
Self-extinguishing: 650° C / 30 s

5. TECHNICAL CHARACTERISTICS (continued)

■ 5.3 Climatical characteristics Storage temperature: - 10° C to +70° C Usage temperature: - 5° C to + 40° C

6. CLEANING

Surface cleaning with a cloth. Do not use: acetone, tar remover, trichloroethylene.

- 6.1 Resistance to the following cleaning suabstances
- Hexane
- Methylated spirit,
- Soapy water,
- Diluted amonia,
- Diluted pure bleach 10%,
- Glass cleaning product,
- Pre-impregnated wipes.

Caution: Always test before using other special cleaning products.

7. SPECIAL USE

The plates must not be painted.

8. STANDARDS AND APPROVALS

The undersigned, LEGRAND, declares that the radio-electric equipment type (Cat. No NP116WH) complies with directive 2014/53/EU. The full text of the EU declaration of conformity is available on the following website: www.legrand.com/ecatalogue