

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Switches

Name and address of the applicant

LEGRAND Magyarország Villamossági Rendszerek ZRt.  
Ipartelepi út 14.  
6600 Szentés  
Hungary

Name and address of the manufacturer

LEGRAND Magyarország Villamossági Rendszerek ZRt.  
Ipartelepi út 14.  
6600 Szentés  
Hungary

Name and address of the factory

Note: When more than one factory, please report on page 2

See additional page(s) for the listing of 2 factories

Ratings and principal characteristics

For new design (Niloé) types:  
250 V~, 6 A or 10 AX

Trademark / Brand (if any)

legrand

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

A027765, A027766, A027778, A027779, A027745, A027769,  
A027770, A027767, A027768, A027777, A027771, A009905,  
A009906, A027774, BI10V1 with "Niloé" design

For detailed type differences and designation see add.  
pages from page 2 to page 5 of this CB Test Certificate.  
For available accessories see CB Test Report.

Additional information (if necessary may also be reported on page 2)

See additional page(s) for further Additional information.  
This CB Test Certificate is modification No.2 for  
HU-004323, dated 2023-03-16 and it is issued due to  
additional new design: "Niloé".  
In this CB Test Certificate only the new added types  
and their ratings have been listed.

A sample of the product was tested and found to be in conformity with

IEC 60669-1:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

HU215VBB 003

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland InterCert Kft., MEEI Division  
H-1143 Budapest, Gizella út 51-57., Hungary  
Web: www.tuv.com

Date: 2024-07-26

Signature:



Tötös Tamás László

**Additional information :**

Type differences and designation:

Type reference: A027765 (with "Niloé" design)  
Designation: Flush type switch, pattern no 1  
Type of term.: screwless  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2110WH	white	IP20 / IP44
NP2110MG	mid. grey	IP20 / IP44
NP2110BK	black	IP20 / IP44

Type reference: A027766 (with "Niloé" design)  
Designation: Flush type switch, pattern no 1  
Type of term.: screwless, with pilot lamp  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2111WH	white	IP20 / IP44
NP2111MG	mid. grey	IP20 / IP44
NP2111BK	black	IP20 / IP44

Type reference: A027778 (with "Niloé" design)  
Designation: Flush type momentary contact switch, pattern no 1  
Type of term.: screwless  
Rated current: 6 A

Ref. no.	Color	Degree of protection
NP2310WH	white	IP20 / IP44
NP2310MG	mid. grey	IP20 / IP44
NP2310BK	black	IP20 / IP44

Type reference: A027779 (with "Niloé" design)  
Designation: Flush type momentary contact switch, pattern no 1  
Type of term.: screwless, with pilot lamp and bell symbol  
Rated current: 6 A

Ref. no.	Color	Degree of protection
NP2311WH	white	IP20 / IP44
NP2311MG	mid. grey	IP20 / IP44
NP2311BK	black	IP20 / IP44

**Additional information :**

Type reference: A027779 (with "Niloé" design)  
Designation: Flush type momentary contact switch, pattern no 1  
Type of term.: screwless, with pilot lamp  
Rated current: 6 A

Ref. no.	Color	Degree of protection
NP2315WH	white	IP20 / IP44
NP2315MG	mid. grey	IP20 / IP44
NP2315BK	black	IP20 / IP44

Type reference: KCA1 (A027745) (with "Niloé" design)  
Designation: Flush type keycard mom. contact switch, pattern no 1  
Type of term.: screwless  
Rated current: 6 A

Ref. no.	Color	Degree of protection
NP270WH	white	IP20 / IP44
NP270MG	mid. grey	IP20 / IP44
NP270BK	black	IP20 / IP44

Type reference: A027769 (with "Niloé" design)  
Designation: Flush type switch, pattern no 6  
Type of term.: screwless  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2210WH	white	IP20 / IP44
NP2210MG	mid. grey	IP20 / IP44
NP2210BK	black	IP20 / IP44

Type reference: A027770 (with "Niloé" design)  
Designation: Flush type switch, pattern no 6  
Type of term.: screwless, with pilot lamp  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2211WH	white	IP20 / IP44
NP2211MG	mid. grey	IP20 / IP44
NP2211BK	black	IP20 / IP44

**Additional information :**

Type reference: A027767 (with "Niloé" design)  
Designation: Flush type switch, pattern no 5  
Type of term.: screwless  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2120WH	white	IP20 / IP44
NP2120MG	mid. grey	IP20 / IP44
NP2120BK	black	IP20 / IP44

Type reference: A027768 (with "Niloé" design)  
Designation: Flush type switch, pattern no 5  
Type of term.: screwless, with pilot lamp  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2121WH	white	IP20 / IP44
NP2121MG	mid. grey	IP20 / IP44
NP2121BK	black	IP20 / IP44

Type reference: A027777 (with "Niloé" design)  
Designation: Flush type momentary contact switch, pattern no 5  
Type of term.: screwless  
Rated current: 6 A

Ref. no.	Color	Degree of protection
NP2320WH	white	IP20 / IP44
NP2320MG	mid. grey	IP20 / IP44
NP2320BK	black	IP20 / IP44

Type reference: A027771 (with "Niloé" design)  
Designation: Flush type double switch, pattern no 6+6  
Type of term.: screwless  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2220WH	white	IP20 / IP44
NP2220MG	mid. grey	IP20 / IP44
NP2220BK	black	IP20 / IP44

**Additional information :**

Type reference: PE10V1 (A027774) (with "Niloé" design)  
Designation: Flush type intermediate switch, pattern no 7  
Type of term.: screw type  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2010WH	white	IP20 / IP44
NP2010MG	mid. grey	IP20 / IP44
NP2010BK	black	IP20 / IP44

Type reference: BI10V1 (with "Niloé" design)  
Designation: Flush type 2-pole switch, pattern no 2  
Type of term.: screw type  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2113WH	white	IP20 / IP44
NP2113MG	mid. grey	IP20 / IP44
NP2113BK	black	IP20 / IP44

Type reference: A009906 (with "Niloé" design)  
Designation: Flush type roller blind push button (momentary) switch,  
pattern no 4  
Type of term.: screw type  
Rated current: 6 A

Ref. no.	Color	Degree of protection
NP2611WH	white	IP20 / IP44
NP2611MG	mid. grey	IP20 / IP44
NP2611BK	black	IP20 / IP44

Type reference: A009905 (with "Niloé" design)  
Designation: Flush type roller blind switch, pattern no 4  
Type of term.: screw type  
Rated current: 10 AX

Ref. no.	Color	Degree of protection
NP2610WH	white	IP20 / IP44
NP2610MG	mid. grey	IP20 / IP44
NP2610BK	black	IP20 / IP44

**Factories :**

1. LEGRAND Magyarország Villamossági Rendszerek ZRt.  
Ipartelepi út 14. 6600 Szentes  
Hungary
2. EMB Electrical Industries S.A.E.  
Second Industrial Zone 12659 SADAT, MENOFIA  
Egypt