

## 2023/2854/EU (DATA ACT) REGULATION

# INFORMATION CLAUSE

**CLAUSE D'INFORMATION | CLÁUSULA DE INFORMACIÓN  
CLÁUSULA DE INFORMAÇÃO | INFORMATIONEN-KLAUSEL  
INFORMATIONEN-KLAUSUL | CLAUSOLA INFORMATIVA  
KLAUZULA INFORMACYJNA | INFORMAČNÍ KLAUZULE  
INFORMAČNÁ KLAUZULA | CLAUZĂ DE INFORMARE  
ИНФОРМАЦИОННА ΚΛΑΥΖΑ | ΤΑΪΕΚΟΖΤΑΤÓ ΚΙΚÖΤÉS  
ИНФОРМАЦИОНА ΚΛΑΥΖУЛА | ИНФОРМАЦИОННОЕ УСЛОВИЕ  
ΡΗΤΡΑ ΠΛΗΡΟΦΟΡΗΣΗΣ**

## INFORMATION CLAUSE FOR PRODUCTS

VI 650 SH FR	UPS POWERWALKER VI 650 SH FR LINE-INTERACTIVE 650VA 2X 230V PL USB-B TOWER
VI 850 SH FR	UPS POWERWALKER VI 850 SH FR LINE-INTERACTIVE 850VA 2X 230V PL USB-B TOWER
VI 1200 SH FR	UPS POWERWALKER VI 1200 SH FR LINE-INTERACTIVE 1200VA 2X 230V PL + 2X IEC C13 USB-B TOWER
VI 2200 SH FR	UPS POWERWALKER VI 2200 SH FR LINE-INTERACTIVE 2200VA 2X 230V PL + 2X IEC C13 USB-B TOWER
VI 1000 RT HID	UPS RACK POWERWALKER VI 1000 RT HID LINE-INTERACTIVE 1000VA 8X IEC C13 USB-B RS-232 LCD 2U TOWER
VI 1500 RT HID	UPS RACK POWERWALKER VI 1500 RT HID LINE-INTERACTIVE 1500VA 8X IEC C13 USB-B RS-232 2U LCD
VI 2000 RT HID	UPS RACK POWERWALKER VI 2000 RT HID LINE-INTERACTIVE 2000VA 8X IEC C13 USB-B RS-232 LCD 2U
VI 3000 RT HID	UPS RACK POWERWALKER VI 3000 RT HID LINE-INTERACTIVE 3000VA 8X IEC C13 1X IEC C19 USB-B LCD 2U
VFI 1500 LCD	UPS POWERWALKER VFI 1500 LCD ON-LINE 1500VA 4X IEC C13 USB-B RS-232 LCD TOWER
VI 600 SW IEC	UPS POWERWALKER VI 600 SW IEC LINE-INTERACTIVE 600VA 3X IEC C13 USB-B LCD PURE SINE WAVE
VI 800 SW IEC	UPS POWERWALKER VI 800 SW IEC LINE-INTERACTIVE 800VA 3X IEC C13 USB-B LCD PURE SINE WAVE
VI 650 SH	UPS POWERWALKER VI 650 SH LINE-INTERACTIVE 650VA 2X SCHUKO USB-B
VI 850 SH	UPS POWERWALKER VI 850 SH LINE-INTERACTIVE 850VA 2X SCHUKO USB-B
VI 1200 SH	UPS POWERWALKER VI 1200 SH LINE-INTERACTIVE 1200VA 2X SCHUKO 2X IEC C13 USB-B
VI 2200 SH	UPS POWERWALKER VI 2200 SH LINE-INTERACTIVE 2200VA 2X SCHUKO 2X IEC C13 USB-B
VI 650 LCD	UPS POWERWALKER VI 650 LCD LINE-INTERACTIVE 650VA 2X SCHUKO USB-B LCD
VI 850 LCD	UPS POWERWALKER VI 850 LCD LINE-INTERACTIVE 850VA 2X SCHUKO USB-B LCD
VI 1000 LCD	UPS POWERWALKER VI 1000 LCD LINE-INTERACTIVE 1000VA 2X SCHUKO 2X IEC C13 USB-B LCD
VI 1500 LCD	UPS POWERWALKER VI 1500 LCD LINE-INTERACTIVE 1500VA 2X SCHUKO 2X IEC C13 USB-B LCD
VI 2000 LCD	UPS POWERWALKER VI 2000 LCD LINE-INTERACTIVE 2000VA 2X SCHUKO 2X IEC C13 USB-B LCD
VI 1000 ERT HID	UPS RACK POWERWALKER VI 1000 ERT HID LINE-INTERACTIVE 1000VA 4X IEC C13 USB-B LCD 2U
VFD 600 APFC FR	UPS POWERWALKER VFD 600 APFC FR OFFLINE 600VA 6X 230V PL
VFD 800 APFC FR	UPS POWERWALKER VFD 800 APFC FR OFFLINE 800VA 6X 230V PL
VI 600 SW FR	UPS POWERWALKER VI 600 SW FR LINE-INTERACTIVE 600VA 2X 230V PL USB-B LCD PURE SINE WAVE
VI 800 SW FR	UPS POWERWALKER VI 800 SW FR LINE-INTERACTIVE 800VA 2X 230V PL USB-B LCD PURE SINE WAVE
VI 650 SHL FR	UPS POWERWALKER VI 650 SHL FR LINE-INTERACTIVE 650VA 2X 230V PL USB-B LCD
VI 850 SHL FR	UPS POWERWALKER VI 850 SHL FR LINE-INTERACTIVE 850VA 2X 230V PL USB-B LCD
VI 1200 SHL FR	UPS POWERWALKER VI 1200 SHL FR LINE-INTERACTIVE 1200VA 2X 230V PL 2X IEC C13 USB-B LCD
VI 2200 SHL FR	UPS POWERWALKER VI 2200 SHL FR LINE-INTERACTIVE 2200VA 2X 230V PL 2X IEC C13 USB-B LCD
VFI 1000 C LCD	UPS POWERWALKER VFI 1000 C LCD ON-LINE 1000VA 3X IEC C13 USB-B RS-232 LCD TOWER
VFI 2000 C LCD	UPS POWERWALKER VFI 2000 C LCD ON-LINE 2000VA 4X IEC C13 USB-B RS-232 LCD TOWER
VFI 3000 C LCD	UPS POWERWALKER VFI 3000 C LCD ON-LINE 3000VA 4X IEC C13 USB-B RS-232 LCD TOWER
VFI 1000 R1U	UPS RACK POWERWALKER VFI 1000 R1U ON-LINE 1000VA 3X IEC C13 USB-B RS-232 LCD 1U
VFI 1000 CRM LCD	UPS RACK POWERWALKER VFI 1000 CRM LCD ON-LINE 1000VA 3X IEC C13 USB-B RS-232 LCD 2U
VFI 2000 CRM LCD	UPS RACK POWERWALKER VFI 2000 CRM LCD ON-LINE 2000VA 4X IEC C13 USB-B RS-232 LCD 2U
VFI 3000 CRM LCD	UPS RACK POWERWALKER VFI 3000 CRM LCD ON-LINE 3000VA 4X IEC C13 USB-B RS-232 LCD 2U
VI 600 SW	UPS POWERWALKER VI 600 SW LINE-INTERACTIVE 600VA 2X SCHUKO USB-B LCD PURE SINE WAVE
DC SECUREADAPTER 12V	UPS DC ZASILACZ BUFOROWY POWERWALKER 12V 2.1A 25W 2.6AH BATERIA DC UPS 12V
VI 650 SHL	UPS POWERWALKER VI 650 SHL LINE-INTERACTIVE 650VA 2X SCHUKO USB-B LCD
VI 650 SHL IEC	UPS POWERWALKER VI 650 SHL IEC LINE-INTERACTIVE 650VA 4X IEC C13 USB-B LCD
VI 850 SHL	UPS POWERWALKER VI 850 SHL LINE-INTERACTIVE 850VA 2X SCHUKO USB-B LCD

VI 850 SHL IEC	UPS POWERWALKER VI 850 SHL IEC LINE-INTERACTIVE 850VA 4X IEC C13 USB-B LCD
VI 1200 SHL	UPS POWERWALKER VI 1200 SHL LINE-INTERACTIVE 1200VA 2X SCHUKO 2X IEC C13 USB-B LCD
VI 1200 SHL IEC	UPS POWERWALKER VI 1200 SHL IEC LINE-INTERACTIVE 1200VA 6X IEC C13 USB-B LCD
VI 2200 SHL	UPS POWERWALKER VI 2200 SHL LINE-INTERACTIVE 2200VA 2X SCHUKO 2X IEC C13 USB-B LCD
VI 2200 SHL IEC	UPS POWERWALKER VI 2200 SHL IEC LINE-INTERACTIVE 2200VA 6X IEC C13 USB-B LCD
VI 800 SW	UPS POWERWALKER VI 800 SW LINE-INTERACTIVE 800VA 2X SCHUKO USB-B LCD PURE SINE WAVE
VFI 1000 CRS	UPS RACK POWERWALKER VFI 1000 CRS ON-LINE 1000VA 3X IEC C13 USB-B RS-232 LCD ŁADOWARKA 6A 2U
VFI 2000 CRS	UPS RACK POWERWALKER VFI 2000 CRS ON-LINE 2000VA 4X IEC C13 USB-B RS-232 LCD ŁADOWARKA 6A 2U
VI 650 SH IEC	UPS POWERWALKER VI 650 SH IEC LINE-INTERACTIVE 650VA 4X IEC C13 USB-B
VFI 3000 CRS	UPS RACK POWERWALKER VFI 3000 CRS ON-LINE 3000VA 4X IEC C13 USB-B RS-232 LCD ŁADOWARKA 6A 2U
VI 1200 SH IEC	UPS POWERWALKER VI 1200 SH IEC LINE-INTERACTIVE 1200VA 6X IEC C13 USB-B
VFI 1000 TG	UPS POWERWALKER VFI 1000 TG ON-LINE 1000VA TG 4X IEC C13 USB-B RS-232 LCD TOWER EPO
VFI 2000 TG	UPS POWERWALKER VFI 2000 TG ON-LINE 2000VA TG 4X IEC C13 USB-B RS-232 LCD TOWER EPO
VFI 3000 TG	UPS POWERWALKER VFI 3000 TG ON-LINE 3000VA TG 4X IEC C13 USB-B RS-232 LCD TOWER EPO
VFI 1000 TGS	UPS POWERWALKER VFI 1000 TGS ON-LINE 1000VA TGS 3X IEC C13 USB-B RS-232 LCD TOWER EPO BEZ AKU
VFI 2000 TGS	UPS POWERWALKER VFI 2000 TGS ON-LINE 2000VA TGS 6X IEC C13 USB-B RS-232 LCD TOWER EPO BEZ AKU
VFI 3000 TGS	UPS POWERWALKER VFI 3000 TGS ON-LINE 3000VA TGS 3X IEC C13 USB-B RS-232 LCD TOWER BEZ AKU
VFD 600 APFC	UPS POWERWALKER VFD 600 APFC OFFLINE 600VA 6X SCHUKO
VFI 10000 CG PF1	UPS POWERWALKER VFI 10000 CG PF1 ON-LINE 10000VA TERMINAL USB-B RS-232 LCD TOWER
VI 850 SH IEC	UPS POWERWALKER VI 850 SH IEC LINE-INTERACTIVE 850VA 4X IEC C13 USB-B
VFI 6000 CG PF1	UPS POWERWALKER VFI 6000 CG PF1 ON-LINE 6000VA TERMINAL USB-B RS-232 LCD TOWER
VFI 1000 RMG PF1	UPS RACK POWERWALKER VFI 1000 RMG PF1 ON-LINE 1000VA 8X IEC C13 USB-B RS-232 LCD 2U
VFI 1500 RMG PF1	UPS RACK POWERWALKER VFI 1500 RMG PF1 ON-LINE 1500VA 8X IEC C13 USB-B RS-232 LCD 2U
VFI 2000 RMG PF1	UPS RACK POWERWALKER VFI 2000 RMG PF1 ON-LINE 2000VA 8X IEC C13 USB-B RS-232 LCD 2U
VFI 3000 RMG PF1	UPS RACK POWERWALKER VFI 3000 RMG PF1 ON-LINE 3000VA 8X IEC C13 USB-B RS-232 LCD 2U
VFI 1000 CG PF1	UPS POWERWALKER VFI 1000 CG PF1 ON-LINE 1000VA 4X IEC C13 USB-B RS-232 1/1 FAZY TOWER EPO
VFI 1500 CG PF1	UPS POWERWALKER VFI 1500 CG PF1 ON-LINE 1500VA 4X IEC C13 USB-B RS-232 1/1 FAZY TOWER EPO
VFI 2000 CG PF1	UPS POWERWALKER VFI 2000 CG PF1 ON-LINE 2000VA 8X IEC C13 USB-B RS-232 1/1 FAZY TOWER EPO
VFI 3000 CG PF1	UPS POWERWALKER VFI 3000 CG PF1 ON-LINE 3000VA 8X IEC C13 USB-B RS-232 1/1 FAZY TOWER EPO
VFI 6000 TGB PF1	UPS POWERWALKER VFI 6000 TGB PF1 ON-LINE 6000VA TERMINAL USB-B EPO LCD TOWER
VFI 10000 TGB PF1	UPS POWERWALKER VFI 10000 TGB PF1 ON-LINE 10000VA TERMINAL USB-B EPO LCD TOWER
VFI 6000 TGS PF1	UPS POWERWALKER VFI 6000 TGS PF1 ON-LINE 6000VA TGS TERMINAL USB-B EPO LCD TOWER BEZ AKU
VFI 10000 TGS PF1	UPS POWERWALKER VFI 10000 TGS PF1 ON-LINE 10000VA TERMINAL USB-B EPO LCD TOWER BEZ AKU
VFI 6000 RTG PF1	UPS RACK POWERWALKER VFI 6000 RTG PF1 ON-LINE 6000VA 2X IEC C13 TERMINAL LCD 5U BATTERYPACK
VFI 10000 RTG PF1	UPS RACK POWERWALKER VFI 10000 RTG PF1 ON-LINE 10000VA 2X IEC C13 TERMINAL LCD 5U BATTERYPACK
VI 500 R1U	UPS RACK POWERWALKER VI 500 R1U LINE-INTERACTIVE 500VA 4X IEC C13 USB-HID RS-232 1U
VI 750 R1U	UPS RACK POWERWALKER VI 750 R1U LINE-INTERACTIVE 750VA 4X IEC C13 USB-HID RS-232 1U
VFI 1000 TGB	UPS POWERWALKER VFI 1000 TGB ON-LINE 1000VA 4X IEC C13 USB-B RS-232 LCD TOWER EPO
VFI 2000 TGB	UPS POWERWALKER VFI 2000 TGB ON-LINE 2000VA 4X IEC C13 USB-B RS-232 LCD TOWER EPO
VFI 3000 TGB	UPS POWERWALKER VFI 3000 TGB ON-LINE 3000VA 4X IEC C13 USB-B RS-232 LCD TOWER EPO
VI 650 SB FR	UPS POWERWALKER VI 650 SB FR LINE-INTERACTIVE 650VA 2X 230V PL USB-B
VI 850 SB FR	UPS POWERWALKER VI 850 SB FR LINE-INTERACTIVE 850VA 2X 230V PL USB-B
VI 1000 SB FR	UPS POWERWALKER VI 1000 SB FR LINE-INTERACTIVE 1000VA 3X 230V PL USB-B
VI 600 STL FR	UPS POWERWALKER VI 600 STL FR LINE-INTERACTIVE 600VA 2X 230V PL USB-B

VI 800 STL FR	UPS POWERWALKER VI 800 STL FR LINE-INTERACTIVE 800VA 2X 230V PL USB-B
VI 1000 STL FR	UPS POWERWALKER VI 1000 STL FR LINE-INTERACTIVE 1000VA 2X 230V PL USB-B
VI 1500 STL FR	UPS POWERWALKER VI 1500 STL FR LINE-INTERACTIVE 1500VA 4X 230V PL USB-B
VI 2200 STL FR	UPS POWERWALKER VI 2200 STL FR LINE-INTERACTIVE 2200VA 4X 230V PL USB-B
VI 1000 R1U	UPS RACK POWERWALKER VI 1000 R1U LINE-INTERACTIVE 1000VA 4X IEC C13 USB HID RS-232 1U
VI 1500 R1U	UPS RACK POWERWALKER VI 1500 R1U LINE-INTERACTIVE 1500VA 4X IEC C13 USB HID RS-232 1U
VI 1200 RLE	UPS RACK POWERWALKER VI 1200 RLE LINE-INTERACTIVE 1200VA 4X IEC C13 USB-B EPO LCD 2U
VI 2200 RLE	UPS RACK POWERWALKER VI 2200 RLE LINE-INTERACTIVE 2200VA 4X IEC C13 USB-B EPO LCD 2U
VI 3000 RLE	UPS RACK POWERWALKER VI 3000 RLE LINE-INTERACTIVE 3000VA 8X IEC C13 USB-B EPO LCD 2U
VFI 20K CPG PF1 3/3 BI	UPS POWERWALKER VFI 20K CPG PF1 3/3 BI ON-LINE 20KVA TERMINAL USB-B 3/3 FAZY LCD SNMP TOWER EPO
VI 1100 CW IEC	UPS POWERWALKER VI 1100 CW IEC LINE-INTERACTIVE 1100VA 8X IEC C13 USB-B SNMP SLOT
VI 1500 CW IEC	UPS POWERWALKER VI 1500 CW IEC LINE-INTERACTIVE 1500VA 8X IEC C13 USB-B SNMP SLOT
VFI 10K CPG PF1 3/3 BI	UPS POWERWALKER VFI 10K CPG PF1 3/3 BI ON-LINE 10KVA TERMINAL USB-B RS-232 3/3 FAZY LCD SNMP TOWER
VFI 15K CPG PF1 3/3 BI	UPS POWERWALKER VFI 15K CPG PF1 3/3 BI ON-LINE 15KVA TERMINAL USB-B RS-232 3/3 FAZY LCD SNMP TOWER
VFI 30K CPG PF1 3/3 BI	UPS POWERWALKER VFI 30K CPG PF1 3/3 BI ON-LINE 30KVA TERMINAL USB-B RS-232 3/3 FAZY LCD SNMP TOWER
VFI 40K CPG PF1 3/3 BI	UPS POWERWALKER VFI 40K CPG PF1 3/3 BI ON-LINE 40KVA TERMINAL USB-B RS-232 3/3 FAZY LCD SNMP TOWER
VFI 20K CPG PF1 3/3 BE	UPS POWERWALKER VFI 20K CPG PF1 3/3 BE ON-LINE 20KVA TERMINAL USB-B RS-232 3/3 FAZY SNMP TOWER EPO
VFI 30K CPG PF1 3/3 BE	UPS POWERWALKER ON-LINE 3/3 FAZY CPG PF1 BX 30KVA, TERMINAL OUT, USB/RS-232, EPO, SNMP, BRAK BATERII
VFI 60K CPG PF1 3/3 BX	UPS POWERWALKER VFI 60K CPG PF1 3/3 BX ON-LINE 60KVA TERMINAL USB-B 3/3 FAZY SNMP TOWER
VFI 80K CPG PF1 3/3 BX	UPS POWERWALKER VFI 80K CPG PF1 3/3 BX ON-LINE 80KVA TERMINAL USB-B 3/3 FAZY SNMP TOWER
VFI 10K CPH 3/1	UPS RACK POWERWALKER VFI 10K CPH 3/1 ON-LINE 10KVA TERMINAL USB-B RS-232 3/1 FAZY LCD 3U EPO
VI 600 CSW FR	UPS POWERWALKER VI 600 CSW FR LINE-INTERACTIVE 600VA 4X 230V PL USB-B 2X USB ŁADOWARKA
VI 800 CSW FR	UPS POWERWALKER VI 800 CSW FR LINE-INTERACTIVE 800VA 4X 230V PL USB-B 2X USB ŁADOWARKA
VI 1000 CSW FR	UPS POWERWALKER VI 1000 CSW FR LINE-INTERACTIVE 1000VA 4X 230V PL USB-B 2X USB ŁADOWARKA
VI 1200 CSW FR	UPS POWERWALKER VI 1200 CSW FR LINE-INTERACTIVE 1200VA 4X 230V PL USB-B 2X USB ŁADOWARKA
VI 1500 CSW FR	UPS POWERWALKER VI 1500 CSW FR LINE-INTERACTIVE 1500VA 4X 230V PL USB-B 2X USB ŁADOWARKA
VFI 6000 RMG	UPS RACK POWERWALKER VFI 6000 RMG ON-LINE 6000VA TERMINAL LCD 5U
VFI 10000 RMG	UPS RACK POWERWALKER VFI 10000 RMG ON-LINE 10000VA TERMINAL LCD 5U
VI 600 SCL	UPS POWERWALKER VI 600 SCL LINE-INTERACTIVE 600VA 2X SCHUKO USB-B LCD
VI 800 SCL	UPS POWERWALKER VI 800 SCL LINE-INTERACTIVE 800VA 2X SCHUKO USB-B LCD
VI 1000 SCL	UPS POWERWALKER VI 1000 SCL LINE-INTERACTIVE 1000VA 4X SCHUKO USB-B LCD
VI 1500 SCL	UPS POWERWALKER VI 1500 SCL LINE-INTERACTIVE 1500VA 4X SCHUKO USB-B LCD
VI 2000 SCL	UPS POWERWALKER VI 2000 SCL LINE-INTERACTIVE 2000VA 4X SCHUKO USB-B LCD
VI 3000 SCL	UPS POWERWALKER VI 3000 SCL LINE-INTERACTIVE 3000VA 4X SCHUKO USB-B LCD
VI 3000 CW IEC	UPS POWERWALKER VI 3000 CW IEC LINE-INTERACTIVE 3000VA 8X IEC C13 USB-B RS-232 EPO LCD
VI 600 SCL FR	UPS POWERWALKER VI 600 SCL FR LINE-INTERACTIVE 600VA 2X 230V PL USB-B LCD
VI 800 SCL FR	UPS POWERWALKER VI 800 SCL FR LINE-INTERACTIVE 800VA 2X 230V PL USB-B LCD
VI 1000 SCL FR	UPS POWERWALKER VI 1000 SCL FR LINE-INTERACTIVE 1000VA 4X 230V PL USB-B LCD
VI 1500 SCL FR	UPS POWERWALKER VI 1500 SCL FR LINE-INTERACTIVE 1500VA 4X 230V PL USB-B LCD
VI 2000 SCL FR	UPS POWERWALKER VI 2000 SCL FR LINE-INTERACTIVE 2000VA 4X 230V PL USB-B LCD
VI 3000 SCL FR	UPS POWERWALKER VI 3000 SCL FR LINE-INTERACTIVE 3000VA 4X 230V PL USB-B LCD
VFI 10K CPH 3/3	UPS RACK POWERWALKER VFI 10K CPH 3/3 10KVA TERMINAL USB-B RS-232 3/3 FAZY LCD 3U EPO
VFI 6000 RMGS	UPS RACK POWERWALKER VFI 6000 RMGS ON-LINE 6000VA TERMINAL USB-B RS-232 LCD 2U EPO
VFI 10000 RMGS	UPS RACK POWERWALKER VFI 10000 RMGS ON-LINE 10000VA TERMINAL USB-B RS-232 LCD 2U EPO

VI 1100 CW FR	UPS POWERWALKER VI 1100 CW FR LINE-INTERACTIVE 1100VA 3X 230V PL USB-B RS-232 LCD EPO
VI 1500 CW FR	UPS POWERWALKER VI 1500 CW FR LINE-INTERACTIVE 1500VA 3X 230V PL USB-B RS-232 LCD EPO
VI 2000 CW FR	UPS POWERWALKER VI 2000 CW FR LINE-INTERACTIVE 2000VA 3X 230V PL USB-B RS-232 LCD EPO
VI 3000 CW FR	UPS POWERWALKER VI 3000 CW FR LINE-INTERACTIVE 3000VA 3X 230V PL USB-B RS-232 LCD EPO
VI 2000 CW	UPS POWERWALKER VI 2000 CW LINE-INTERACTIVE 2000VA 3X SCHUKO USB-B RS-232 LCD EPO
VI 3000 CW	UPS POWERWALKER VI 3000 CW LINE-INTERACTIVE 3000VA 3X SCHUKO USB-B RS-232 LCD EPO
VI 1100 CW	UPS POWERWALKER VI 1100 CW LINE-INTERACTIVE 1100VA 3X SCHUKO USB-B RS-232 SNMP SLOT
VFI 1000 AT FR	UPS POWERWALKER VFI 1000 AT FR ON-LINE 1000VA 3X 230V PL USB-B RS-232 LCD TOWER EPO
VFI 2000 AT FR	UPS POWERWALKER VFI 2000 AT FR ON-LINE 2000VA 4X 230V PL USB-B RS-232 LCD TOWER EPO
VFI 3000 AT FR	UPS POWERWALKER VFI 3000 AT FR ON-LINE 3000VA 4X 230V PL TERMINAL USB-B RS-232 EPO LCD TOWER
VFI 6000 RTGE PF1	UPS RACK POWERWALKER VFI 6000 RTGE PF1 ON-LINE 6000VA 2X IEC C13 USB-B RS-232 3U BEZ AKU
VFI 15K CPG PF1 3/3 BE	UPS POWERWALKER VFI 15K CPG PF1 3/3 BE ON-LINE 15KVA TERMINAL USB-B RS-232 3/3 FAZY LCD SNMP TOWER
VI 600 CSW IEC	UPS POWERWALKER VI 600 CSW IEC LINE-INTERACTIVE 600VA 8X IEC C13 USB-B 2X USB ŁADOWARKA
VI 800 CSW IEC	UPS POWERWALKER VI 800 CSW IEC LINE-INTERACTIVE 800VA 8X IEC C13 USB-B 2X USB ŁADOWARKA
VI 1000 CSW IEC	UPS POWERWALKER VI 1000 CSW IEC LINE-INTERACTIVE 1000VA 8X IEC C13 USB-B 2X USB ŁADOWARKA
VI 1200 CSW IEC	UPS POWERWALKER VI 1200 CSW IEC LINE-INTERACTIVE 1200VA 8X IEC C13 USB-B 2X USB ŁADOWARKA
VI 1500 CSW IEC	UPS POWERWALKER VI 1500 CSW IEC LINE-INTERACTIVE 1500VA 8X IEC C13 USB-B 2X USB ŁADOWARKA
VI 2000 CW IEC	UPS POWERWALKER VI 2000 CW IEC LINE-INTERACTIVE 2000VA 8X IEC C13 USB-B SNMP SLOT
VFI 10000 RTGE PF1	UPS RACK POWERWALKER VFI 10000 RTGE PF1 ON-LINE 10000VA 2X IEC C13 USB-B RS-232 2U BEZ AKU
VI 600 MS	UPS POWERWALKER VI 600 MS LINE-INTERACTIVE 600VA 8X SCHUKO USB HID ŁADOWARKA
VI 800 MS	UPS POWERWALKER VI 800 MS LINE-INTERACTIVE 800VA 8X SCHUKO USB HID ŁADOWARKA
VI 1000 MS	UPS POWERWALKER VI 1000 MS LINE-INTERACTIVE 1000VA 8X SCHUKO USB HID ŁADOWARKA
VI 600 MS FR	UPS POWERWALKER VI 600 MS FR LINE-INTERACTIVE 600VA 8X 230V PL USB HID ŁADOWARKA
VI 800 MS FR	UPS POWERWALKER VI 800 MS FR LINE-INTERACTIVE 800VA 8X 230V PL USB HID ŁADOWARKA
VI 1000 MS FR	UPS POWERWALKER VI 1000 MS FR LINE-INTERACTIVE 1000VA 8X 230V PL USB HID ŁADOWARKA
VI 1000 GXB FR	UPS DLA GRACZY POWERWALKER VI 1000 GXB FR LINE-INTERACTIVE 1000VA 4X 230V PL LCD 2X ŁADOWARKA RGB
VI 1500 GXB FR	UPS DLA GRACZY POWERWALKER VI 1500 GXB FR LINE-INTERACTIVE 1500VA 4X 230V PL LCD 2X ŁADOWARKA RGB
VFI 10000 ICT IOT PF1	UPS POWERWALKER VFI 10000 ICT IOT PF1 ON-LINE 10000VA TERMINAL USB-B RS-232 LCD TOWER
VFI 1000 AT	UPS POWERWALKER ON-LINE 1000VA AT 3X 230V SCHUKO, USB/RS-232, LCD, TOWER, EPO
VI 1500 GXB IEC	UPS DLA GRACZY POWERWALKER VI 1500 GXB IEC LINE-INTERACTIVE 1500VA 8X IEC C13 LCD 2X ŁADOWARKA RGB
VI 1000 RLP	UPS RACK POWERWALKER VI 1000 RLP LINE-INTERACTIVE 1000VA 8X IEC C13 USB-B EPO LCD 2U
VI 2000 RLP	UPS RACK POWERWALKER VI 2000 RLP LINE-INTERACTIVE 2000VA 8X IEC C13 USB-B EPO LCD 2U
VI 3000 RLP	UPS RACK POWERWALKER VI 3000 RLP LINE-INTERACTIVE 3000VA 8X IEC C13 USB-B EPO LCD 2U
VI 3000 STL FR	UPS POWERWALKER VI 3000 STL FR LINE-INTERACTIVE 3000VA 4X 230V PL USB-B
VFI 10K CPG PF1 3/3 BE	UPS POWERWALKER VFI 10000 CPG PF1 3/3 BE ON-LINE 10KVA TERMINAL USB-B RS-232 3/3 FAZY LCD SNMP TOWER
VI 1000 GXB FR	UPS DLA GRACZY POWERWALKER VI 1000 GXB FR LINE-INTERACTIVE 1000VA 4X 230V PL LCD 2X ŁA (PO NAPRAWIE)
VI 650 SB	UPS POWERWALKER VI 650 SB LINE-INTERACTIVE 650VA 2X SCHUKO USB-B
VI 850 SB	UPS POWERWALKER VI 850 SB LINE-INTERACTIVE 850VA 2X SCHUKO USB-B
VI 1000 SB	UPS POWERWALKER VI 1000 SB LINE-INTERACTIVE 1000VA 3X SCHUKO USB-B
VI 2200 SH IEC	UPS POWERWALKER VI 2200 SH IEC LINE-INTERACTIVE 2200VA 6X IEC C13 USB-B TOWER
VI 600 STL	UPS POWERWALKER VI 600 STL LINE-INTERACTIVE 600VA 2X 230V SCHUKO USB-B
VI 800 STL	UPS POWERWALKER VI 800 STL LINE-INTERACTIVE 800VA 2X 230V SCHUKO USB-B
VI 1000 STL	UPS POWERWALKER VI 1000 STL LINE-INTERACTIVE 1000VA 2X 230V SCHUKO USB-B
VI 1500 STL	UPS POWERWALKER VI 1500 STL LINE-INTERACTIVE 1500VA 4X 230V SCHUKO USB-B

VI 2200 STL	UPS POWERWALKER VI 2200 STL LINE-INTERACTIVE 2200VA 4X 230V SCHUKO USB-B
VI 3000 STL	UPS POWERWALKER VI 3000 STL LINE-INTERACTIVE 3000VA 4X 230V SCHUKO USB-B
VI 3000 STL IEC	UPS POWERWALKER VI 3000 STL IEC LINE-INTERACTIVE 3000VA 6X IEC C13 USB-B
VI 600 CSW	UPS POWERWALKER VI 600 CSW LINE-INTERACTIVE 600VA 4X 230V SCHUKO USB-B 2X USB ŁADOWARKA
VI 800 CSW	UPS POWERWALKER VI 800 CSW LINE-INTERACTIVE 800VA 4X 230V SCHUKO USB-B 2X USB ŁADOWARKA
VI 1000 CSW	UPS POWERWALKER VI 1000 CSW LINE-INTERACTIVE 1000VA 4X 230V SCHUKO USB-B 2X USB ŁADOWARKA
VI 1200 CSW	UPS POWERWALKER VI 1200 CSW LINE-INTERACTIVE 1200VA 4X 230V SCHUKO USB-B 2X USB ŁADOWARKA
VI 1500 CSW	UPS POWERWALKER VI 1500 CSW LINE-INTERACTIVE 1500VA 4X 230V SCHUKO USB-B 2X USB ŁADOWARKA
VI 1500 CW	UPS POWERWALKER VI 1500 CW LINE-INTERACTIVE 1500VA 3X 230V SCHUKO USB-B RS-232 LCD EPO
VFI 2000 AT	UPS POWERWALKER VFI 2000 AT ON-LINE 2000VA 4X 230V SCHUKO USB-B RS-232 LCD TOWER EPO
VFD 800 APFC	UPS POWERWALKER VFD 800 APFC OFFLINE 800VA 6X 230V SCHUKO
VFI 3000 AT	UPS POWERWALKER VFI 3000 AT ON-LINE 3000VA 4X 230V SCHUKO USB-B RS-232 LCD TOWER EPO
VFI 10000 CG PF1	UPS POWERWALKER VFI 10000 CG PF1 ON-LINE 10000VA TERMINAL USB-B RS-232 LCD TOWER (PO NAPRAWIE)
VFI 5000 EVS	UPS POWERWALKER VFI 5000 EVS PF1 ON-LINE 5000VA EVS TERMINAL USB-B EPO LCD TOWER BEZ AKU
VFI 6000 AT	UPS POWERWALKER VFI 6000 AT ON-LINE 6000VA TERMINAL USB-B RS-232 LCD TOWER
VFI 10000 AT	UPS POWERWALKER VFI 10000 AT ON-LINE 10000VA TERMINAL USB-B RS-232 LCD TOWER
VFI 120K CPG PF1 3/3 BX	UPS POWERWALKER VFI 120K CPG PF1 3/3 BX ON-LINE 120KVA TERMINAL USB-B 3/3 FAZY SNMP TOWER
VFI 20K TAP PF1 3/3 BI	UPS POWERWALKER VFI 20K TAP PF1 3/3 BI ON-LINE 20KVA TERMINAL USB-B RS-232 3/3 FAZY LCD TOWER EPO
VFI 30K TAP PF1 3/3 BI	UPS POWERWALKER VFI 30K TAP PF1 3/3 BI ON-LINE 30KVA TERMINAL USB-B RS-232 3/3 FAZY LCD TOWER EPO
VFI 40K TAP PF1 3/3 BI	UPS POWERWALKER VFI 40K TAP PF1 3/3 BI ON-LINE 40KVA TERMINAL USB-B RS-232 3/3 FAZY LCD TOWER EPO
VFI 60K TAP PF1 3/3 BI	UPS POWERWALKER VFI 60K TAP PF1 3/3 BI ON-LINE 60KVA TERMINAL USB-B RS-232 3/3 FAZY LCD TOWER EPO
VFI 80K TAP PF1 3/3 BI	UPS POWERWALKER VFI 80K TAP PF1 3/3 BI ON-LINE 80KVA TERMINAL USB-B RS-232 3/3 FAZY LCD TOWER EPO
VFI 20K TAP PF1 3/3 BE	UPS POWERWALKER VFI 20K TAP PF1 3/3 BE ON-LINE 20KVA TERMINAL USB-B RS-232 3/3 LCD EPO BEZ BATERII
VFI 30K TAP PF1 3/3 BE	UPS POWERWALKER VFI 30K TAP PF1 3/3 BE ON-LINE 30KVA TERMINAL USB-B RS-232 3/3 LCD EPO BEZ BATERII
VFI 40K TAP PF1 3/3 BE	UPS POWERWALKER VFI 40K TAP PF1 3/3 BE ON-LINE 40KVA TERMINAL USB-B RS-232 3/3 LCD EPO BEZ BATERII
VFI 60K TAP PF1 3/3 BE	UPS POWERWALKER VFI 60K TAP PF1 3/3 BE ON-LINE 60KVA TERMINAL USB-B 3/3 FAZY LCD SNMP TOWER EPO
VFI 80K TAP PF1 3/3 BE	UPS POWERWALKER VFI 80K TAP PF1 3/3 BE ON-LINE 80KVA TERMINAL USB-B 3/3 FAZY LCD SNMP TOWER EPO
VFI 40K CPG PF1 3/3 BE	UPS POWERWALKER VFI 40K CPG PF1 3/3 BE ON-LINE 40KVA TERMINAL USB-B RS-232 3/3 FAZY SNMP TOWER EPO
VFI 20K TAP PF1 3/3 BX	UPS POWERWALKER VFI 20K TAP PF1 3/3 BX ON-LINE 20KVA TERMINAL USB-B RS-232 3/3 LCD EPO DO ZEWN. AKKU
VFI 30K TAP PF1 3/3 BX	UPS POWERWALKER VFI 30K TAP PF1 3/3 BX ON-LINE 30KVA TERMINAL USB-B RS-232 3/3 LCD EPO DO ZEWN. AKKU
VFI 40K TAP PF1 3/3 BX	UPS POWERWALKER VFI 40K TAP PF1 3/3 BX ON-LINE 40KVA TERMINAL USB-B 3/3 RS-232 LCD EPO DO ZEWN. AKKU
VFI 60K TAP PF1 3/3 BX	UPS POWERWALKER VFI 60K TAP PF1 3/3 BX ON-LINE 60KVA TERMINAL USB-B 3/3 RS-232 LCD EPO DO ZEWN. AKKU
VFI 80K TAP PF1 3/3 BX	UPS POWERWALKER VFI 80K TAP PF1 3/3 BX ON-LINE 80KVA TERMINAL USB-B RS-232 3/3 LCD EPO DO ZEWN. AKKU

## Producer

BlueWalker GmbH  
Hellersbergerstrasse 6  
41460 Neuss Germany

## EN English

- a) The UPS generates operational and diagnostic data such as battery charge level (%), voltage and current draw, input and output voltages and currents, frequency, load (VA/W/%), alarms, backup time, and may also indicate the power factor. The data are displayed directly on the LCD screen in the form of clear numerical values and messages, except for products without a display. When using the USB/RS-232 port, the data can additionally be exported to TXT/CSV files (on average 50–100 bytes per entry, a typical log file <1 MB).
- b) The UPS generates data continuously – the LCD display updates values in real time during device operation. The values are automatically refreshed at short intervals, and in the event of alarm conditions, messages appear immediately on the LCD screen (except for versions without a display) or are transmitted to the management software via the USB or RS-232 port.
- c) The UPS does not store historical data in its permanent memory. The LCD display serves only to present the current status, except for versions without a display. Data can be archived only if the user connects the UPS to a computer/server via the USB or RS-232 port and uses an application (e.g., WinPower). In such a case, the data retention period depends on the application settings and the user.
- d) The user has immediate access to all operational and diagnostic data via the LCD display on the front panel, except for versions without a display. These data are available as real-time readings and alarm messages – they are not stored on the UPS itself and do not require deletion. When using additional computer software, the data can be exported to TXT/CSV files, which the user can open with standard programs (e.g., Notepad, Excel) and manually delete by removing the files from the program directory.

## PL Polski

- a) Zasilacz UPS generuje dane operacyjne i diagnostyczne, takie jak poziom naładowania baterii (%), napięcie i pobór prądu, napięcia i prądy wejściowe oraz wyjściowe, częstotliwość, obciążenie (VA/W/%), alarmy, czas podtrzymania, a także może wskazywać współczynnik mocy. Dane są wyświetlane bezpośrednio na ekranie LCD w formie czytelnych wartości liczbowych i komunikatów, z wyjątkiem produktów bez wyświetlacza. Przy użyciu portu USB/RS-232 dane mogą dodatkowo zostać wyeksportowane do plików TXT/CSV (średnio 50–100 bajtów na wpis, typowy plik logu <1 MB).
- b) UPS generuje dane w sposób ciągły – wyświetlacz LCD aktualizuje wartości w czasie rzeczywistym podczas pracy urządzenia. Wartości są automatycznie odświeżane w krótkich odstępach czasu, a w przypadku wystąpienia alarmów komunikaty pojawiają się natychmiast na ekranie LCD (z wyjątkiem wersji bez wyświetlacza) lub są przesyłane do oprogramowania zarządzającego przez port USB lub RS-232.
- c) UPS nie przechowuje danych historycznych w pamięci trwałej. Wyświetlacz LCD służy wyłącznie do prezentacji bieżącego stanu, z wyjątkiem wersji bez wyświetlacza. Dane mogą być archiwizowane tylko wtedy, gdy użytkownik podłączy UPS do komputera/serwera przez port USB lub RS-232 i użyje aplikacji (np. WinPower). W takim przypadku okres przechowywania danych zależy od ustawień aplikacji i użytkownika.
- d) Użytkownik ma natychmiastowy dostęp do wszystkich danych operacyjnych i diagnostycznych poprzez wyświetlacz LCD na panelu przednim, z wyjątkiem wersji bez wyświetlacza. Dane te są dostępne jako odczyty w czasie rzeczywistym i komunikaty alarmowe – nie są przechowywane w samym UPS i nie wymagają usuwania. Przy użyciu dodatkowego oprogramowania komputerowego dane mogą być eksportowane do plików TXT/CSV, które użytkownik może otworzyć w standardowych programach (np. Notatnik, Excel) i ręcznie usunąć, pliki z katalogu programu.