

STREETOS 2

SLI027022NW_PW



Power **50 W**
Luminous flux* **7000 lm (360°)**
Colour of light **Neutral white**
IK **9**

Voltage **230 V**
Colour temperature **4000 K**
Beam angle **155/115 °**
Degree of protection (IP) **IP65**

Technical data

Code	SLI027022NW_PW
Power	50 W
Nominal current	225 mA
Voltage	230 V
Energy consumption	50 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power factor	0.900000
Useful luminous flux*	7000 lm (360°)
Luminous flux	6750 lm (360°)
Lamp efficacy	140 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	155/115 °
RA	70
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	25000
Housing material	Aluminum, PC
IK	9
Degree of protection (IP)	IP65
Colour	Gray
Dimension (AxBxC)	490x148x86 mm
Mounting hole	60 mm
For use	Outside
Assembly method	On a pole
Application	EXT
Made in	PRC
Other	100-277V ,


Logistics data

Bulk packaging	8 pcs.
Gross weight (1 pcs.)	1.3 kg

*applies to the LED source used

Related documents



 User manual

