









	EAN	l x w x h [mm]	W	VAC	Hz	lm	lm/W	K
AR SPOT1 RD V 6W 830 SYM15 BK ON	4099854625244	90 x 120 x 140	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 RD V 6W 840 SYM15 BK ON	4099854625282	90 x 120 x 140	6	220-240V	50/60Hz	480	80	4000K
AR SPOT1 RD V 6W 830 SYM24 BK ON	4099854625305	90 x 120 x 140	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 RD V 6W 840 SYM24 BK ON	4099854625343	90 x 120 x 140	6	220-240V	50/60Hz	480	80	4000K
AR SPOT1 RD V 6W 830 SYM40 BK ON	4099854625367	90 x 120 x 140	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 RD V 6W 840 SYM40 BK ON	4099854625381	90 x 120 x 140	6	220-240V	50/60Hz	480	80	4000K
AR SPOT1 RD V 6W 830 SYM60 BK ON	4099854625404	90 x 120 x 140	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 RD V 6W 840 SYM60 BK ON	4099854625428	90 x 120 x 140	6	220-240V	50/60Hz	480	80	4000K
AR SPOT2 RD V 12W 830 SYM15 BKON	4099854625442	90 x 120 x 230	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 RD V 12W 840 SYM15 BKON	4099854625466	90 x 120 x 230	12	220-240V	50/60Hz	960	80	4000K
AR SPOT2 RD V 12W 830 SYM24 BKON	4099854625480	90 x 120 x 230	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 RD V 12W 840 SYM24 BKON	4099854625503	90 x 120 x 230	12	220-240V	50/60Hz	960	80	4000K
AR SPOT2 RD V 12W 830 SYM40 BKON	4099854625527	90 x 120 x 230	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 RD V 12W 840 SYM40 BKON	4099854625541	90 x 120 x 230	12	220-240V	50/60Hz	960	80	4000K
AR SPOT2 RD V 12W 830 SYM60 BKON	4099854625565	90 x 120 x 230	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 RD V 12W 840 SYM60 BKON	4099854625589	90 x 120 x 230	12	220-240V	50/60Hz	960	80	4000K
AR SPOT1 SQ V 6W 830 SYM15 BK ON	4099854625602	90 x 120 x 132	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 SQ V 6W 840 SYM15 BK ON	4099854625626	90 x 120 x 132	6	220-240V	50/60Hz	480	80	4000K
AR SPOT1 SQ V 6W 830 SYM24 BK ON	4099854625640	90 x 120 x 132	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 SQ V 6W 840 SYM24 BK ON	4099854625664	90 x 120 x 132	6	220-240V	50/60Hz	480	80	4000K
AR SPOT1 SQ V 6W 830 SYM40 BK ON	4099854625688	90 x 120 x 132	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 SQ V 6W 840 SYM40 BK ON	4099854625701	90 x 120 x 132	6	220-240V	50/60Hz	480	80	4000K
AR SPOT1 SQ V 6W 830 SYM60 BK ON	4099854625725	90 x 120 x 132	6	220-240V	50/60Hz	480	80	3000K
AR SPOT1 SQ V 6W 840 SYM60 BK ON	4099854625749	90 x 120 x 132	6	220-240V	50/60Hz	480	80	4000K
AR SPOT2 SQ V 12W 830 SYM15 BKON	4099854625763	90 x 120 x 170	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 SQ V 12W 840 SYM15 BKON	4099854625787	90 x 120 x 170	12	220-240V	50/60Hz	960	80	4000K
AR SPOT2 SQ V 12W 830 SYM24 BKON	4099854625800	90 x 120 x 170	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 SQ V 12W 840 SYM24 BKON	4099854625824	90 x 120 x 170	12	220-240V	50/60Hz	960	80	4000K
AR SPOT2 SQ V 12W 830 SYM40 BKON	4099854625848	90 x 120 x 170	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 SQ V 12W 840 SYM40 BKON	4099854625862	90 x 120 x 170	12	220-240V	50/60Hz	960	80	4000K
AR SPOT2 SQ V 12W 830 SYM60 BKON	4099854625886	90 x 120 x 170	12	220-240V	50/60Hz	960	80	3000K
AR SPOT2 SQ V 12W 840 SYM60 BKON	4099854625909	90 x 120 x 170	12	220-240V	50/60Hz	960	80	4000K




	EAN	IP	IK	∠	R _a	⌈ (°C)	PF	👤
AR SPOT1 RD V 6W 830 SYM15 BK ON	4099854625244	IP65	IK06	15°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 840 SYM15 BK ON	4099854625282	IP65	IK06	15°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 830 SYM24 BK ON	4099854625305	IP65	IK06	24°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 840 SYM24 BK ON	4099854625343	IP65	IK06	24°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 830 SYM40 BK ON	4099854625367	IP65	IK06	40°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 840 SYM40 BK ON	4099854625381	IP65	IK06	40°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 830 SYM60 BK ON	4099854625404	IP65	IK06	60°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT1 RD V 6W 840 SYM60 BK ON	4099854625428	IP65	IK06	60°	> 80	-40°...+40°	>0.8	0.68kg
AR SPOT2 RD V 12W 830 SYM15 BKON	4099854625442	IP65	IK06	15°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 840 SYM15 BKON	4099854625466	IP65	IK06	15°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 830 SYM24 BKON	4099854625480	IP65	IK06	24°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 840 SYM24 BKON	4099854625503	IP65	IK06	24°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 830 SYM40 BKON	4099854625527	IP65	IK06	40°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 840 SYM40 BKON	4099854625541	IP65	IK06	40°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 830 SYM60 BKON	4099854625565	IP65	IK06	60°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 RD V 12W 840 SYM60 BKON	4099854625589	IP65	IK06	60°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT1 SQ V 6W 830 SYM15 BK ON	4099854625602	IP65	IK06	15°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 840 SYM15 BK ON	4099854625626	IP65	IK06	15°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 830 SYM24 BK ON	4099854625640	IP65	IK06	24°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 840 SYM24 BK ON	4099854625664	IP65	IK06	24°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 830 SYM40 BK ON	4099854625688	IP65	IK06	40°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 840 SYM40 BK ON	4099854625701	IP65	IK06	40°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 830 SYM60 BK ON	4099854625725	IP65	IK06	60°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT1 SQ V 6W 840 SYM60 BK ON	4099854625749	IP65	IK06	60°	> 80	-40°...+40°	>0.8	0.75kg
AR SPOT2 SQ V 12W 830 SYM15 BKON	4099854625763	IP65	IK06	15°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 840 SYM15 BKON	4099854625787	IP65	IK06	15°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 830 SYM24 BKON	4099854625800	IP65	IK06	24°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 840 SYM24 BKON	4099854625824	IP65	IK06	24°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 830 SYM40 BKON	4099854625848	IP65	IK06	40°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 840 SYM40 BKON	4099854625862	IP65	IK06	40°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 830 SYM60 BKON	4099854625886	IP65	IK06	60°	> 80	-40°...+40°	>0.9	0.98kg
AR SPOT2 SQ V 12W 840 SYM60 BKON	4099854625909	IP65	IK06	60°	> 80	-40°...+40°	>0.9	0.98kg


ARCHITECTURAL SPOT




AR SPOT1 SQR 09 V 6W






AR SPOT1 RND 09 V 6W











AR SPOT2 SQR 09 V 12W








AR SPOT2 RND 09 V 12W
















5



ARCHITECTURAL SPOT



	[W]	Inrush current [A]	Th50 [μs]	B10	B16	B32	C10	C16	C32
AR SPOT1 RD V 6W	6	18,8	1,01	31	40	80	31	51	102
AR SPOT2 RD V 12W	12	25,2	2,01	17	21	42	17	27	54
AR SPOT1 SQ V 6W	6	18,8	1,01	31	40	80	31	51	102
AR SPOT2 SQ V 12W	12	25,2	2,01	17	21	42	17	27	54



Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom