

# Technical data sheet

## Joint cover, for trunking, type WDK 60110

Item number: 6193596



Joint cover for hiding cut edges and for smooth connection of trunking segments.



**PVC** Polyvinylchloride

### Master data

|                                    |                          |
|------------------------------------|--------------------------|
| Item number                        | 6193596                  |
| Type                               | WDK HS60110RW            |
| Description 1                      | Joint cover              |
| Description 2                      | for WDK 60110            |
| Manufacturer                       | OBO                      |
| Dimension                          | 62x113x18mm              |
| Colour                             | Pure white; RAL 9010     |
| Material                           | Polyvinylchloride        |
| Smallest sales unit                | 20                       |
| Unit of quantity                   | Piece                    |
| Weight                             | 1.142 kg                 |
| Weight unit                        | kg/100 pc.               |
| CO2 Footprint (GWP) Cradle-to-Gate | 0,0535 kg CO2e / 1 Piece |


# Technical data sheet

Joint cover, for trunking, type WDK 60110

Item number: 6193596



## Dimensions



|             |        |
|-------------|--------|
| Length      | 18 mm  |
| Width       | 113 mm |
| Height      | 62 mm  |
| Dimension a | 113 mm |
| Dimension b | 18 mm  |

## Technical data

|                                   |                    |
|-----------------------------------|--------------------|
| Version for                       | Trunking cut cover |
| Fastening type                    | Lockable           |
| Shape                             | Symmetrical        |
| Halogen-free                      | no                 |
| Protection rating                 | IP30               |
| Protection rating IK code         | IK04               |
| Permitted temperature range, max. | 60 °C              |
| Permitted temperature range, min. | -5 °C              |