

PAVA POINT

SLI033040WW_PW

PAVA POINT 6-20W 230V WW 8-45DEG IP20 RA90 82X160X222MM BLACK 5Y WARRANTY



Power	620 W	Voltage	230 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	845 °	Degree of protection (IP)	IP20

Technical data

Code	SLI033040WW_PW
Power	620 W
Nominal current	100 mA
Voltage	230 V
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	Yes
Power factor	0.9
Useful luminous flux*	2100 lm (360°)
Luminous flux	140650 lm (360°)
Lamp efficacy	105 lm/W
Luminous intensity	18000 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	845 °
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	20 / +40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	25000
Housing material	Aluminum, PLASTIC
Degree of protection (IP)	IP20
Colour	Czarny
Dimension (AxBxC)	82x160x222 mm
For use	Inside
Assembly method	NA SZYNOPROOutsideÓD 3FAZOWY
Application	Inside
Made in	PRC
Other	DIP SWITCH adjustable power of luminaire ,


Logistics data

Bulk packaging	15 pcs.
Gross weight (1 pcs.)	0.85 kg


*applies to the LED source used

Related documents



 User manual



 Declaration of Conformity

