




# DATASHEET

## Adapter SC Duplex OS2 blue



### General data

SC Duplex Adapter with Plastic Housing

### Technical properties

Accessories	Self-Tapping Screw
Colour Dust Cover	Black
Conform to Standard	IEC61754-4
Construction type	SC-Duplex
Dust cover	True
Height	9.3 mm
Internal Shutter	False
Length	27.5 mm
Material housing	Plastic
Material sleeve	Ceramics
Operating temperature	-40 - 75 °C
Packaging	Polybag
Scope of delivery/Lieferumfang	1 coupling, 2 screws
Storage Temperature	-40 - 85 °C

This datasheet was created automatically on 18-03-2026 . Technical changes reserved.



# DATASHEET

## Adapter SC Duplex OS2 blue

Type of connector connection 1	SC-Duplex
Type of connector connection 2	SC-Duplex
Type of fastening	Screw/snap in
Type of housing	With flange
Type of locking	Latching mechanism
Width	35.0 mm

### Available variants

ArtNr.	Bezeichnung	Category	Color	Insertion loss 1310nm	Model	Suitable for type of fibre
53316.3	Adapter SC Duplex OS2 blue	OS2	blue	< 0,2 dB	SC	Single mode

### Drawings


This datasheet was created automatically on 18-03-2026 . Technical changes reserved.



# DATASHEET

## Adapter SC Duplex OS2 blue

### SC/SC Duplex Adapter Multimode



This datasheet was created automatically on 18-03-2026 . Technical changes reserved.

