



GB DECLARATION of CONFORMITY

LEDVANCE GmbH

Parkring 29-33,85748 Garching, Germany

Declares that under our sole responsibility the product

Product reference(s)

See attached list

is/are in conformity with the provisions of the following UK regulations, including all amendments:

UK SI 2016 No. 1101	The Electrical Equipment (Safety) Regulations 2016
UK SI 2016 No. 1091	Electro Magnetic Compatibility Regulations 2016
UK SI 2019 No. 539	The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019
UK SI 2012 No. 3032	Restriction of the use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The following designated standards have been applied

BS EN 60598-1:2021	Luminaires. General requirements and tests
BS EN 60598-2-1:2021	Luminaires — Part 2-1: Particular requirements — Fixed general purpose luminaires
BS EN 60598-2-24: 2013	Luminaires - Part 2-24: Particular requirements - Luminaires with limited surface temperatures
BS EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic field.
BS EN IEC 55015:2019+A11:2020	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
BS EN IEC 61000-3-2:2019+A1:2021	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
BS EN 61000-3-3:2013+A1:2019 +A2:2021	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
BS EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements

EXAMPLE STANDARDS SHOWN - CORRECT PRODUCT STANDARDS TO BE ADDED

Authorised signatory:

.....
Name: Scheyer Yannick
Position: QM Manager
Date: 2022-07-19

Attached list:

Product list:

AC41572 TRUSYS FLEX P 35W 840 VW CL WT
AC41573 TRUSYS FLEX P 35W 840 W CL WT
AC41575 TRUSYS FLEX P 35W 840 N CL WT
AC41577 TRUSYS FLEX P 35W 840 VN CL WT
AC41578 TRUSYS FLEX P 35W 840 DS CL WT
AC41579 TRUSYS FLEX P 35W 840 W OP WT
AC41580 TRUSYS FLEX P 35W 840 NOL WT
AC41581 TRUSYS FLEX P 50W 840 VW CL WT
AC41582 TRUSYS FLEX P 50W 840 W CL WT
AC41584 TRUSYS FLEX P 50W 840 N CL WT
AC41586 TRUSYS FLEX P 50W 840 VN CL WT
AC41587 TRUSYS FLEX P 50W 840 DS CL WT
AC41588 TRUSYS FLEX P 50W 840 W OP WT
AC41589 TRUSYS FLEX P 50W 840 NOL WT
AC41590 TRUSYS FLEX P 70W 840 VW CL WT
AC41574 TRUSYS FLEX P 70W 840 W CL WT
AC41576 TRUSYS FLEX P 70W 840 N CL WT
AC41583 TRUSYS FLEX P 70W 840 VN CL WT
AC41585 TRUSYS FLEX P 70W 840 DS CL WT
AC41591 TRUSYS FLEX P 70W 840 W OP WT
AC41592 TRUSYS FLEX P 70W 840 NOL WT
AC41641 TRUSYS FLEX P RAIL 1500 5P WT
AC41644 TRUSYS FLEX P RAIL 1500 5P END WT

- AC41645 TRUSYS FLEX P RAIL 3000 5P WT
- AC41647 TRUSYS FLEX P RAIL 4500 5P WT
- AC41649 TRUSYS FLEX SUSPENSION KIT
- AC41650 TRUSYS FLEX CHAIN KIT
- AC41651 TRUSYS FLEX BLIND COVER WT
- AC41652 TRUSYS FLEX END CAP RAIL WT
- AC41653 TRUSYS FLEX END CAP LOW RAIL WT
- AC41654 TRUSYS FLEX SURFACE CLIP
- AC41655 TRUSYS FLEX GRID CEILING CLIP
- AC41656 TRUSYS FLEX FEED IN 5P
- AC41658 TRUSYS FLEX FEED IN BOX 5P WT
- AC41660 TRUSYS FLEX FEED OUT BOX 5P WT
- AC41662 TRUSYS FLEX SPOT TRACK 1500 WT
- AC41663 TRUSYS FLEX L01-NODE 5P WT
- AC41664 TRUSYS FLEX L02-NODE 5P WT
- AC41667 TRUSYS FLEX T01-NODE 5P WT
- AC41668 TRUSYS FLEX T02-NODE 5P WT
- AC41669 TRUSYS FLEX T03-NODE 5P WT
- AC41673 TRUSYS FLEX X01-NODE 5P WT