




AVR70



AVR70-72

AVR70-72 series of basic all-round luminaires for both indoor and outdoor applications. The luminaires can be mounted to the ceiling and to the wall. Their material is shock-proof polycarbonate. These luminaires are often used for house numbering. In wall mounting they can be equipped with the snow shield.



Classic fixture for house numbering, which is not scared of cold.



AVR71



AVR72




Structure

- Diffuser and body polycarbonate
- LED model:
connected load 8W, luminaire luminous flux see table
4000 K, 3000 K, Ra>80, power factor 0,72
Ambient temperature - 40 °C - + 25 °C
- LED module lifespan $T_a=25\text{ °C}$:
>100 000 h (L70)
100 000 h (L80)
50 000 h (L90)
- LED driver lifetime $T_a=25\text{ °C}$:
100 000 h (max. 10% failure rate)


Mounting

- To the ceiling or to the wall
- Snow shields ordered separately
- Screw terminal block 4x2,5 mm² with through wiring


| E number | Type | Product name | Base | Kg | Luminous flux |
|--|--------------|---|------|-----|---------------|
| AVR70 E27 | | | | | |
| 41 170 69 | AVR70 | AVR70 1x60W A60/E27 230V | E27 | 0,8 | |
| AVR70 LED | | | | | |
| 41 170 32 | AVR70.19L | IP44 LED 8W/840 E PC 0 | LED | 1,0 | 800 lm |
| AVR71 E27 | | | | | |
| 41 170 72 | AVR71 | AVR71 1x60W A60/E27 230V | E27 | 0,9 | |
| AVR71 LED | | | | | |
| 41 170 50 | AVR71.19L | IP44 LED 8W/840 E PC 0 | LED | 1,1 | 870 lm |
| 41 035 89 | AVR71.19L/3K | AVR71 IP44 LED 8W/830 E PC 0 | LED | 1,1 | 804 lm |
| AVR72 LED | | | | | |
| 41 170 59 | AVR72.19L | IP44 LED 8W/840 E PC 0 | LED | 1,0 | 800 lm |
| 41 035 90 | AVR72.19L/3K | AVR72 IP44 LED 8W/830 E PC 0 | LED | 1,1 | 740 lm |
| AVR70 accessories and spare parts | | | | | |
| 41 179 38 | AVV70 | Diffuser for AVR70 luminaires, opal polycarbonate | | | |
| 41 171 05 | AVL30 | Snow shield for AVR70 luminaires, white | | | |
| AVR71 accessories and spare parts | | | | | |
| 41 171 11 | AVL68 | Snow shield for AVR71 luminaires, white | | | |
| 41 179 41 | AVV71 | Diffuser for AVR71 luminaires, opal polycarbonate | | | |
| AVR72 accessories and spare parts | | | | | |
| 41 179 42 | AVV72 | Diffuser for AVR72 luminaires, opal polycarbonate | | | |



AVR70



AVR71



AVR72



AVR70 series luminaires has been used on facades for decades and also decades to come. Hot or cold won't bother this classic.