


61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	




Product code is engraved on the upper and on the lower part of the die set
Crimping dies are delivered without



tool







Suitable tools:

- PEW 12
- PEW 12S
- E-PEW 12
- CM 25-1

Insulated and non-insulated core end sleeves								Crimp cavity	Picture
Article number	Article designation	Pressing range	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1		
61813802	PEW 12.090	0.25-6.0mm ²	trapezoid pressing	x		x	x	1: 0.25-0.75mm ² 2: 1-1.5mm ² 3: 2.5mm ² 4: 4mm ² 5: 6mm ²	
61813823	PEW 12.020	0,25-2,5mm ²	thorn pressing	x		x	x	1: 0,25-0,75mm ² 2: 1-1,5mm ² 3: 2,5mm ²	
61813824	PEW 12.030	4-10mm ²	W-pressing	x		x	x	1: 4mm ² 2: 6mm ² 3: 10mm	


Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 1 of 13
-------------------------------	---------------------------------------	--------------

61813802	DATA SHEET			
Valid from: 30.03.2026	PEW 12 Crimping inserts			



61813825	PEW 12.031	1,5-10mm ²	hexagonal pressing	x		x	x	1: 1,5mm ² 2: 2,5mm ² 3: 4mm ² 4: 6mm ² 5: 10mm ²	
61813803	PEW 12.091	10-25mm ²	W-pressing	x		x	x	1: 10mm ² 2: 16mm ² 3: 25mm ²	
61813804	PEW 12.092	35-50mm ²	W-Pressing	x		x	x	1: 35mm ² 2: 50mm ²	
61813993	PEW 12.331	35-50mm ²	W-pressing	x		x		1: 50mm ² 2: 35mm ²	
61813911	PEW 12S.093	70mm ²	W-pressing			x	x	1: 70mm ²	
61813912	PEW 12S.094	95mm ²	W-pressing			x	x	1: 95mm ²	

Creator: PDP Released: PDP	Document: DB6 1813802EN Version: 01	Page 2 of 13
-------------------------------	--	--------------


61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

61814605	PEW12.691	0,5-6mm ²	ISO Crimp						1: 0,5-1mm ² 2: 4-6mm ² 3: 1,5-2,5mm ²	
----------	-----------	----------------------	-----------	--	--	--	--	--	---	---




TWIN end sleeves

Article number	Article designation	Pressing range	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture
61813913	PEW 12.090-6	2x0.5- 2x4mm ²	trapezoid pressing	x		x	x	1: 2x0.5mm ² 2: 2x0.75mm ² 3: 2x1mm ² 4: 2x1.5mm ² 5: 2x2.5mm ² 6: 2x4mm ²	
61815642	PEW 12.097	2x6-2x16mm ²	W-pressing	x		x	x	1: 2x6mm ² 2: 2x10mm ² 3: 2x16mm ²	



Insulated and non-insulated terminals and connectors

Article number	Article designation	Pressing range	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture
61813914	PEW 12.064	0.14-1mm ²	conical ISO crimp	x		x		1: 0.14-0.5mm ² 2: 0.25-0.75mm ² 3: 0.5-1mm ²	

61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	



61813812	PEW 12.060	0.5-6mm ²	conical ISO crimp	x		x	x	1: 0.5-1mm ² 2: 1.5-2.5mm ² 3: 4-6mm ²	
61814606	PEW12.742	0,5-2,5mm ²	Roll-press	x		x	x	1: 0,5-1mm ² 2: 0,5-1mm ² 3: 1,25-2,5mm ²	
61814607	PEW 12.745	1,25-6mm ²	Roll-press	x		x	x	1: 1,25-2,5mm ² 2: 3-4mm ² 3: 4-6mm ²	

Non-insulated cable lugs

Article number	Article designation	Pressing range	Crimping profile					Crimp cavity	Picture
				PEW 12	PEW 12S	E-PEW 12	CM 25-1		
61813916	PEW 12.1071	0.5-10mm ²	W-pressing	x		x	x	1: 0.5-1.5mm ² 2: 1.5-2.5mm ² 3: 4-6mm ² 4: 6-10mm ²	
61813811	PEW 12.032	0,5-10mm ²	Thorn Press	x		x	x	1: 0,5-1,5mm ² 2: 1,5-2,5mm ² 3: 4-6mm ² 4: 6-10mm ²	






Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 4 of 13
-------------------------------	---------------------------------------	--------------

61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

61813826	PEW 12.063	10-16mm ²	Thorn Press	x		x	x	1: 10mm ² 2: 16mm ²	
61813862	PEW 12.033	16-25mm ²	mandrel pressing	x		x	x	1: 16mm ² 2: 25mm ²	







Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 5 of 13
-------------------------------	---------------------------------------	--------------

61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

Non-insulated panel connectors									
Article number	Article designation	Pressing range	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture
61814600	PEW 12.045	0.1-2.5mm ² Tab width 2.8 + 4.8	roller pressing	x		x	x	1: 0.1-0.25mm ² (2.8) 2: 0.5-1mm ² (2.8) 3: 0.5-1mm ² (4.8) 4: 1.5-2.5mm ² (4.8)	
61814601	PEW 12.045 Locator	0.1-2.5mm ² Tab width 2.8 + 4.8	-	x		x	x	1: 0.1-0.25mm ² (2.8) 2: 0.5-1mm ² (2.8) 3: 0.5-1mm ² (4.8) 4: 1.5-2.5mm ² (4.8)	
61813991	PEW 12.838	0.5-1.5mm ² Tab width 4.8	roller pressing	x		x	x	1: 0.5mm ² 2: 0.75mm ² 3: 1mm ² 4: 1.5mm ²	
61813992	PEW 12.838 Locator	0.75 - 1.5mm ² Tab width 4.8	-	x		x	x	1: - 2: 0.75mm ² 3: 1mm ² 4: 1.5mm ²	
61813808	PEW 12.050	0.5-6mm ² Tab width 4.8 + 6.3	roller pressing	x		x	x	1: 0.5-1mm ² (4.8 + 6.3) 2: 4-6mm ² (4.8 + 6.3) 3: 1.5-2.5mm ² (4.8 + 6.3)	

Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 6 of 13
-------------------------------	---------------------------------------	--------------

61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	


61813890	PEW 12.050 Locator	0.5-6mm ² Tab width 4.8 + 6.3	-	x		x	x	1: 0.5-1mm ² (4.8 + 6.3) 2: 4-6mm ² (4.8 + 6.3) 3: 1.5-2.5mm ² (4.8 + 6.3)	
61813809	PEW 12.050-014 Locator	1-2.5mm ² Tab width 6.3	-	x		x	x	1: 1mm ² 3: 2.5mm ²	
61815645	PEW 12.465	1-2.5mm ² Tab width 6.3	roller pressing	x		x	x	1: 1mm ² 2: 1.5mm ² 3: 2.5mm ²	
61815646	PEW 12.465 Locator	1.5-2.5mm ² Tab width 6.3	-	x		x	x	1: - 2: 1.5mm ² 3: 2.5mm ²	
61815643	PEW 12.751	4-6mm ² Tab width 6.3	roller pressing	x		x	x	1: 4mm ² 2: 6mm ²	
61815644	PEW 12.751 Locator	4-6mm ² Tab width 6.3	-	x		x	x	1: 4mm ² 2: 6mm ²	





Creator: PDP
Released: PDP

Document: DB6 1813802EN
Version: 01

Page 7 of 13







61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

61815647	PEW 12 Universal positioning aid	Recommended in combination with crimping inserts: PEW 12.060 PEW 12.033 PEW 12.1071	-	x		x	x	universal	
----------	--	---	---	---	--	---	---	-----------	---

One-piece screen connectors RSK									
Article number	Article designation	Shield diameter	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture
61815635	PEW 12.1448/ SC01 A	1,3 - 2,3mm	special crimping profile	x		x	x	RSK 5101	
61815636	PEW 12.1449/ SC01 B	1,4 - 2,2 mm	special crimping profile	x		x	x	RSK 5101	
61815637	PEW 12.1450/ SC02 C	1,5 - 2,7 mm	special crimping profile	x		x	x	RSK 5201	
61815638	PEW 12.1341/ SC02 D	2,8 - 3,1 mm	special crimping profile	x		x	x	RSK 5201	




Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 8 of 13
-------------------------------	---------------------------------------	--------------



61813802	DATA SHEET		
Valid from: 30.03.2026	PEW 12 Crimping inserts		

61815639	PEW 12.1451/ SC02 E	1,8 - 3,3 mm	special crimping profile	x		x	x	RSK 5201	
61815640	PEW 12.1452/ SC02 F	2,4 - 3,2 mm	special crimping profile	x		x	x	RSK 5201	
61815641	PEW 12.1453/ SC03 G	3,5 - 4,5 mm	special crimping profile	x		x	x	RSK 5301	
61813869	PEW 12.374/ SC03 H	3,5 - 4,2 mm	special crimping profile	x		x	x	RSK 5301	
61813868	PEW 12.373/ SC03 J	3,6 - 4,2 mm	special crimping profile	x		x	x	RSK 5301	
61813864	PEW 12.599/ SC04 K	4,8 - 6,5mm	special crimping profile	x		x	x	RSK 5401	


Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 9 of 13
-------------------------------	---------------------------------------	--------------






61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

61813865	PEW 12.375/ SC04 L	5,7 – 6,5 mm	special crimping profile	x		x	x	RSK 5401	
61813866	PEW 12.354/ SC04 M	5,8 – 7,0 mm	special crimping profile	x		x	x	RSK 5401	
61813867	PEW 12.619/ SC04 N	6,5 – 7,7 mm	special crimping profile	x		x	x	RSK 5401	

Two-part screen connectors SHIELD-KON									
Article number	Article designation	Shield diameter	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture
61813881	PEW 12.1425 SK	See inner sleeve SHIELD-KON	hexagonal pressing	x		x	x	19: GSC 101 00: GSC 128 01: GSC 149 02: GSC 156 03: GSC 175	
61813882	PEW 12.1426 SK	See inner sleeve SHIELD-KON	hexagonal pressing	x		x	x	6: GSC 187/194/199 8: GSC 205/219 9: GSC 225 10: GSC 232	

Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 10 of 13
-------------------------------	---------------------------------------	---------------






61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

61813883	PEW 12.1427 SK	See inner sleeve SHIELD-KON	hexagonal pressing	x		x	x	11: GSC 261 12: GSC 275 14: GSC 281/287/297	
61813884	PEW 12.1428 SK	See inner sleeve SHIELD-KON	hexagonal pressing	x		x	x	15: GSC 312 16: GSC 327 17: GSC 348	
61813885	PEW 12.1429 SK	See inner sleeve SHIELD-KON	hexagonal pressing	x		x	x	50: GSC 359 51: GSC 375	
61813886	PEW 12.1430 SK	See inner sleeve SHIELD-KON	hexagonal pressing	x		x	x	52: GSC 405/415 54: GSC 425	
61813887	PEW 12S. 1440 SK	See inner sleeve SHIELD-KON	hexagonal pressing		x			56: GSC 460 57: GSC 500	

KOAX-Connector									
Article number	Article designation	Wrench Size	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture

Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 11 of 13
-------------------------------	---------------------------------------	---------------

61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	


61813813	PEW 12.100	1,72mm 5,4mm 6,48mm	hexagonal pressing	x		x	x	1: 5,4mm 2: 6,48mm 3: 1,72mm	
61813816	PEW12.114	2,54mm 10,9mm	hexagonal pressing	x		x	x	1: 2,54mm 2: 10,9mm	
61813818	PEW12.119	1,75mm 9,73mm	hexagonal pressing	x		x	x	1: 1,75mm 2: 9,73mm	
61813852	PEW12.158	7mm 8,4mm 8,1mm	hexagonal pressing	x		x	x	1: 7mm 2: 8,4mm 3: 8,1mm	
61813853	PEW12.159	3,25mm 4,52mm 5,4mm 1,72mm 1,07mm 0,72mm	hexagonal pressing	x		x	x	1: 3,25mm 2: 4,52mm 3: 5,4mm 4: 1,72mm 5: 1,07mm 6: 0,72mm	

LWL-Connector

Article number	Article designation	Wrench Size	Crimping profile	PEW 12	PEW 12S	E-PEW 12	CM 25-1	Crimp cavity	Picture

Creator: PDP Released: PDP	Document: DB6 18 13802EN Version: 01	Page 12 of 13
-------------------------------	---	---------------

61813802	DATA SHEET	
Valid from: 30.03.2026	PEW 12 Crimping inserts	

61813849	PEW 12.155	4,2mm 3,65mm 5mm	Hexagonal- Pressung	x		x	x	1: 4,2mm 2: 3,65mm 3: 5mm	
----------	------------	------------------------	------------------------	---	--	---	---	---------------------------------	---

Creator: PDP Released: PDP	Document: DB61813802EN Version: 01	Page 13 of 13
-------------------------------	---------------------------------------	---------------