

# Technical data sheet

## Coupling SL KUP20110

Item number: 6132235



Trunking coupling for SL, SL-L and SL-T skirting trunking. For connecting the interfaces of the individual trunking covers.  
Easily attached using moulded snap-in hooks.



**PVC** Polyvinylchloride

### Master data

|                                    |                          |
|------------------------------------|--------------------------|
| Item number                        | 6132235                  |
| Type                               | SL KUP20110 rws          |
| Description 1                      | Coupling                 |
| Description 2                      | SL 20x110 9010           |
| Manufacturer                       | OBO                      |
| Colour                             | Pure white; RAL 9010     |
| Material                           | Polyvinylchloride        |
| Smallest sales unit                | 10                       |
| Unit of quantity                   | Piece                    |
| Weight                             | 0.71 kg                  |
| Weight unit                        | kg/100 pc.               |
| CO2 Footprint (GWP) Cradle-to-Gate | 0,0265 kg CO2e / 1 Piece |


# Technical data sheet

## Coupling SL KUP20110


Item number: 6132235



### Dimensions



|        |        |
|--------|--------|
| Length | 24 mm  |
| Height | 110 mm |



# Technical data sheet

## Coupling SL KUP20110

Item number: 6132235



### Technical data

|                                   |         |
|-----------------------------------|---------|
| Decoration                        | Without |
| Cover sealing lip                 | Without |
| Halogen-free                      | no      |
| Protection rating                 | IP40    |
| Protection rating IK code         | IK06    |
| Permitted temperature range, max. | 60 °C   |
| Permitted temperature range, min. | -5 °C   |