

# WOJ+17006\_ROLL

LED STRIP 2835 230V 120LED 8W/m 600lm/m NW 8mm IP65 2 years 25m roll with reeler

IP65



Voltage **230 V**

Colour of light **Neutral white**

Degree of protection (IP) **IP65**

Colour temperature **4000 K**

Beam angle **120 °**

## Technical data

## Logistics data

|                              |                                                         |
|------------------------------|---------------------------------------------------------|
| Code                         | WOJ+17006_ROLL                                          |
| Nominal current              | 1000 mA                                                 |
| Voltage                      | 230 V                                                   |
| Energy efficiency class      | G                                                       |
| Energy consumption           | 4 kWh/1000h                                             |
| Frequency                    | 50HZ Hz                                                 |
| Protection class             | II                                                      |
| Power supply included        | Yes                                                     |
| Power factor                 | 0.9                                                     |
| Useful luminous flux*        | 300 lm (360°)                                           |
| Luminous flux                | 600 lm (360°)                                           |
| Lamp efficacy                | 65 lm/W                                                 |
| Colour temperature           | 4000 K                                                  |
| Colour of light              | Neutral white                                           |
| Beam angle                   | 120 °                                                   |
| RA                           | 80                                                      |
| Uniformity of color SDCM max | 5                                                       |
| Dimmable                     | No                                                      |
| Working temperature range    | -20/+40 °                                               |
| Warranty                     | 2 years                                                 |
| Lifespan                     | 17000 h                                                 |
| (On/Off)                     | 15000                                                   |
| Degree of protection (IP)    | IP65                                                    |
| Dimension (AxBxC)            | 22x25000 mm                                             |
| For use                      | Outside                                                 |
| Made in                      | PRC                                                     |
| Other                        | Cutting section/sekcja cięcia<br>20mm, max length 50m , |

\*applies to the LED source used

## Related documents



 User manual

